

## Medical practice variations

---

### KEY DATA SUMMARY

Analysis of the distribution of medical practice in Belgium, in terms of volume and expenditure per patient and per insured (distribution, occurrence, trends by region, province and district), for the year **2023**



NIHDI – Healthcare Service – Directorate for Research, Development and Quality promotion

#### Appropriate care unit

Pascal Meeus, Virginie Dalcq, Benjamin Swine, Katrien Declercq, Delphine Beauport

Contact: [appropriatecare@riziv-inami.fgov.be](mailto:appropriatecare@riziv-inami.fgov.be)

Date of report: 22 October 2024

## CONTENTS

---

<b>CONTENTS.....</b>	<b>2</b>
<b>1. INTRODUCTION .....</b>	<b>10</b>
<b>2. NERVOUS SYSTEM.....</b>	<b>11</b>
A. Central nervous system .....	11
Electroencephalography .....	11
Cognitive evoked potentials.....	12
Motor evoked potentials .....	13
Somatosensory evoked potentials.....	14
Transfontanellar ultrasound .....	15
Head imaging (except angiography) .....	16
Brain SPECT .....	17
Stroke - Diagnosis and treatment planning .....	18
Stroke coordination - Care plan .....	19
B. Peripheral nervous system .....	20
Nerve conduction velocity .....	20
Carpal tunnel.....	21
C. Global functions .....	22
Neuropsychological evaluation.....	22
Polysomnography .....	23
<b>3. SENSORY SYSTEM.....</b>	<b>24</b>
A. Eyes .....	24
Visual field test.....	24
Refractometry .....	25
Ophthalmoscopy - Anterior segment .....	26
Ophthalmoscopy - Fundoscopy .....	27
Endothelial cell counting.....	28
Ocular biometrics.....	29
Ocular motility test .....	30
Ocular tonometry.....	31
Keratometry .....	32

# Medical practice variations – SUMMARY

Angiography of the retina .....	33
Visual evoked potentials .....	34
Cataract surgery .....	35
Glaucoma surgery .....	36
Intravitreal injection .....	37
Vitrectomy .....	38
Panretinal photocoagulation .....	39
B. Ears.....	40
Tympanoscopy .....	40
Hearing tests .....	41
Vestibular tests .....	42
Middle ear drainage.....	43
<b>4. RESPIRATORY SYSTEM .....</b>	<b>44</b>
A. Upper respiratory tract .....	44
Rhinometry .....	44
Rhinoscopy.....	45
Voice function .....	46
Laryngoscopy .....	47
Sinus endoscopy.....	48
Removal of foreign bodies .....	49
Epistaxis.....	50
Internal rhinoplasty.....	51
Sinusitis surgery .....	52
Tonsillectomy-Adenoidectomy .....	53
B. Lower respiratory tract .....	54
Pulmonary function tests.....	54
Thoracic radiography .....	55
Thoracic CT-scan .....	56
Bronchoscopy.....	57
<b>5. DIGESTIVE SYSTEM .....</b>	<b>58</b>
A. Mouth, jaw & teeth.....	58
Dental imaging .....	58

## Medical practice variations – SUMMARY

Preventive dental care .....	59
Periodontal examination (19-60 years) .....	60
Periodontal index (DPSI) .....	61
Filling of dental cavities.....	62
Preformed crowns .....	63
Endodontics .....	64
Dental extraction .....	65
Orthodontic treatment .....	66
Removable dental prosthesis.....	67
Frenectomy .....	68
Gingivectomy .....	69
Incision of abscess of dental origin.....	70
Surgery for paradental cysts .....	71
Oral osteitis curettage.....	72
Trepanation of jawbone.....	73
Osteotomy with displacement of jawbone.....	74
B. Gastrointestinal.....	75
Upper digestive endoscopy.....	75
Lower digestive endoscopy.....	76
Serological tests for Helicobacter pylori (blood) - Outpatient.....	77
Pediatric gastric tubing .....	78
Abdominal wall hernia surgery .....	79
Appendectomy.....	80
Colorectal polypectomy .....	81
Colectomy .....	82
Surgical management of hemorrhoids .....	83
Bariatric surgery.....	84
C. Hepatobiliary.....	85
Hepatobiliary ultrasound .....	85
Dosing lipases (blood) - Outpatient .....	86
Gamma GT - Outpatient.....	87
Hepatic transaminase test - Outpatient .....	88

# Medical practice variations – SUMMARY

Cholecystectomy .....	89
D. Unspecified .....	90
Digestive radiography .....	90
Abdominal CT scan.....	91
E. Global functions .....	92
Hydrogen breath test.....	92
Urea breath test.....	93
<b>6. CUTANEOUS SYSTEM.....</b>	<b>94</b>
Allergy skin tests .....	94
Dermoscopy .....	95
Skin biopsy .....	96
UVA/UVB Phototherapy.....	97
Ingrown toenail surgery.....	98
Excision of dermal vegetations .....	99
Skin lesion removal .....	100
Removal of a deep foreign body .....	101
<b>7. URINARY SYSTEM.....</b>	<b>102</b>
Urodynamic testing.....	102
Urinary tract X-Ray.....	103
Diagnostic cystoscopy .....	104
Creatinine (blood) - Outpatient .....	105
Renal failure (care pathway by GP).....	106
Lump sums for incontinence.....	107
Surgical treatment of urethral stenosis .....	108
Extraction of urolithiasis .....	109
Chronic dialysis.....	110
<b>8. MEN.....</b>	<b>111</b>
PSA testing (men at risk 40 years and older) .....	111
Male urogenital ultrasound .....	112
Prostate biopsy .....	113
Circumcision.....	114
Vasectomy.....	115

# Medical practice variations – SUMMARY

Benign prostatic hyperplasia surgery.....	116
<b>9. WOMEN AND PREGNANCY .....</b>	<b>117</b>
A. Breast .....	117
Breast imaging .....	117
Mammectomy.....	118
B. Genital system .....	119
Screening smear for cervical cancer (25-64 years) .....	119
Female urogenital ultrasound.....	120
Hysteroscopy.....	121
Hormonal tests - Outpatient (Women).....	122
Tubal interventions .....	123
Cervical conization .....	124
Uterine curettage.....	125
Hysterectomy.....	126
C. Pregnancy & Childbirth .....	127
Cardiotocography.....	127
Prenatal screening for Down syndrome (Women) .....	128
Presence of pediatrician at delivery .....	129
Caesarean section .....	130
<b>10. BLOOD AND IMMUNE SYSTEM.....</b>	<b>131</b>
Herpes simplex virus (screening) .....	131
Folic acid (alone) - Outpatient .....	132
Dosing D-Dimers - Outpatient.....	133
Dosing vitamin B12 - Outpatient.....	134
Dosing vitamin D - Outpatient .....	135
Electrophoresis of proteins (blood) - Outpatient .....	136
Dosing ferritin and or iron - Outpatient.....	137
Blood count - Outpatient .....	138
IgE (clinical biology) - Outpatient.....	139
Alkaline phosphatases - Outpatient.....	140
Activated partial thromboplastin time - Outpatient.....	141
Transfusion monitoring.....	142

# Medical practice variations – SUMMARY

<b>11. CARDIOVASCULAR SYSTEM .....</b>	<b>143</b>
A. Heart .....	143
Electrocardiogram (Outpatient).....	143
Holter Monitor.....	144
Cardiac ultrasound .....	145
Non-invasive cardiac stress tests .....	146
Coronary imaging .....	147
Coronary angiography.....	148
Cardiac pressure measurement by catheterization.....	149
Lipid test - Outpatient.....	150
Creatine kinases (blood) - Outpatient.....	151
Dosing Troponine T - Outpatient .....	152
Cardiac electrophysiology.....	153
Pacemaker (1st implant) .....	154
Myocardial reperfusion.....	155
B. Peripheral vessels .....	156
Carotid ultrasound .....	156
Limb venography.....	157
Varicose surgery.....	158
<b>12. MUSCULOSKELETAL SYSTEM .....</b>	<b>159</b>
A. Spine.....	159
Spine Imaging.....	159
Spinal manipulation .....	160
Spine surgery.....	161
B. Upper limbs.....	162
Rotator Cuff Surgery .....	162
Treatment of fractures (forearm) .....	163
Carpal tunnel.....	164
Trigger finger surgery.....	165
C. Lower limbs.....	166
Hip prosthesis .....	166
Meniscectomy ( $\geq$ 15 years) .....	167

# Medical practice variations – SUMMARY

Knee prosthesis.....	168
Treatment of fractures (ankle).....	169
Forefoot surgery (hallux) .....	170
D. Unspecified .....	171
Rheumatological evaluation .....	171
Bone densitometry ( $\geq$ 50 years).....	172
Arthrography.....	173
E. Global functions .....	174
Electromyography.....	174
Rehabilitation plan.....	175
<b>13. ENDOCRINE SYSTEM .....</b>	<b>176</b>
Thyroid ultrasound.....	176
TSH, T3, T4 dosage - Outpatient .....	177
Dosing intact parathyroid hormone - Outpatient.....	178
Dosing glucose (blood).....	179
Supervision of type 2 diabetes in 1st line .....	180
Diabetes education .....	181
<b>14. INFECTIOUS DISEASES.....</b>	<b>182</b>
Screening Chlamydia T - N gonorrhoeae - Outpatient.....	182
Testing for HIV antibodies - Outpatient.....	183
<b>15. CROSS-SYSTEM SERVICES .....</b>	<b>184</b>
Patient file's global management .....	184
Consultations and visits in general practice.....	185
Contacts in general medicine.....	186
Outpatient pediatric consultation .....	187
Outpatient multidisciplinary geriatric evaluation.....	188
Multidisciplinary Oncology Consultation .....	189
Multidisciplinary Oncology Consultation - 1st meeting.....	190
Multidisciplinary Oncology Consultation - Patient information .....	191
Multidisciplinary Oncology Consultation (Dermatologists) .....	192
Multidisciplinary Oncology Consultation (Endocrinologists) .....	193
Multidisciplinary Oncology Consultation (ENT) .....	194

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Gastroenterologists).....	195
Multidisciplinary Oncology Consultation (Geriatricians) .....	196
Multidisciplinary Oncology Consultation (GPs) .....	197
Multidisciplinary Oncology Consultation (Gynaecologists) .....	198
Multidisciplinary Oncology Consultation (Hematologists) .....	199
Multidisciplinary Oncology Consultation (Neurosurgeons).....	200
Multidisciplinary Oncology Consultation (Oncologists).....	201
Multidisciplinary Oncology Consultation (Orthopaedists).....	202
Multidisciplinary Oncology Consultation (Plastic surgeons).....	203
Multidisciplinary Oncology Consultation (Pneumologists) .....	204
Multidisciplinary Oncology Consultation (Radiotherapists) .....	205
Multidisciplinary Oncology Consultation (Radiologists) .....	206
Multidisciplinary Oncology Consultation (Stomatologists).....	207
Multidisciplinary Oncology Consultation (Surgeons).....	208
Multidisciplinary Oncology Consultation (Urologists) .....	209
Admission to emergency room .....	210
Hospital stays (based on imaging package) .....	211
Reference pharmacist function.....	212
Palliative care at home.....	213
PET-Scan.....	214
Pediatric intravenous infusion .....	215
Insertion of a port-a-cath.....	216
Radiotherapy.....	217
Lump sum fees for clinical biology - Outpatient .....	218
Childbirth (Women) .....	219
<b>16. FOOTNOTES.....</b>	<b>220</b>

## 1. INTRODUCTION

---

The Appropriate Care Unit was set up within the NIHDI's Directorate for Research, Development and Quality under NIHDI's Administration Contract for 2016-2018<sup>1</sup>. Article 35 of this contract refers to 'the setting up of an Appropriate Care Unit, aiming specifically to promote an integrated approach to the rational use of resources'. The Appropriate Care Unit has been up and running since the second quarter of 2017.

The tasks of the Unit were set out formally in the '2016-2017 Healthcare monitoring Action plan', published by NIHDI on 18 July 2016<sup>1</sup>. This plan lists around thirty measures designed to make healthcare provision more efficient, by encouraging appropriate practice and tackling unnecessary or inappropriate care.

The plan states that one of the tasks of the Appropriate Care Unit is to analyse the 'appropriateness of care', in order to identify un-explained variations in consumption patterns, identified after standardisation. Such variations can potentially point to non-optimal use of resources.

'Variations in medical practice' documents report on the analyses carried out in this framework. Each report focuses on a particular topic.

In this document, we present the key data from each report relating to analyses of practice. Readers interested in the methodology used in these quantitative analyses should consult the document entitled '[Variations in practice – Methodology](#)'.

We have deliberately chosen not to attempt to interpret the figures, preferring to present the results to experts who are in a better position to do so. This document has nevertheless been made available to the public in order to provide objective, open input to discussions on this issue.

---

<sup>1</sup> (Institut national d'assurance maladie-invalidité, 2016)

## 2. NERVOUS SYSTEM

---

### A. Central nervous system

Electroencephalography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Neurology</i>	<b>87,12%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>356.964</b>
Average occurrence per patient per day (services)	1,09	
Average occurrence per patient per year (days)	1,21	
Total average occurrence	1,31	
Estimated number of patients (per year)	272.658	
Standardised usage rate (per 100 000 insured persons)	2,367	
Percentage of outpatient care	60,53%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	59 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,22	
Percentage of women (patients)	54,34%	
Ratio Preferential rate/General rate (patients)	1,77	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-0,55%	***
Trend <sup>3</sup> (2013-2021)	-1,05%	**
Trend <sup>3</sup> (2021-2023)	1,48%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	17,7	
Coefficient of variation <sup>4</sup> (2021-2023)	20,25	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,57	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,29	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	27.414.525 €	
Average annual expenditure per insured <sup>5</sup>	2,38 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,31	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,89	
Average annual expenditure per patient	100,55 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Electroencephalographie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Cognitive evoked potentials

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Psychiatry</i>	<b>99,25%</b>
Main prescribers:	<i>Psychiatry</i>	<b>97,44%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>17.789</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,02	
Total average occurrence	1,02	
Estimated number of patients (per year)	<b>17.446</b>	
Standardised usage rate (per 100 000 insured persons)	151	
	<b>Percentage of outpatient care</b>	<b>33,08%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	44 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	2	
Percentage of women (patients)	<b>56,91%</b>	
Ratio Preferential rate/General rate (patients)	3,42	
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>-0,50%</b> NS
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>-0,44%</b> NS
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-0,71%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>88,57</b> NS
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>95,94</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	3,27	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	41,12	
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>2.913.059 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,25 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	3,3	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	42,27	
	<b>Average annual expenditure per patient</b>	<b>166,97 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>NA</b> NA
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b> NA

Link to the report: [RAPPORT-EN-Potentiels\\_evoques\\_cognitifs\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Motor evoked potentials

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Neurology</i> <b>99,80%</b>
Main prescribers:	<i>Not applicable</i> <b>-</b>
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>14.581</b>
Average occurrence per patient per day (services)	<b>1,01</b>
Average occurrence per patient per year (days)	<b>1,26</b>
Total average occurrence	<b>1,27</b>
Estimated number of patients (per year)	<b>11.678</b>
Standardised usage rate (per 100 000 insured persons)	<b>101</b>
Percentage of outpatient care	<b>74,86%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>59 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,39</b>
Percentage of women (patients)	<b>57,32%</b>
Ratio Preferential rate/General rate (patients)	<b>1,77</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>-0,12%</b>
Trend <sup>3</sup> (2013-2021)	<b>0,99%</b>
Trend <sup>3</sup> (2021-2023)	<b>-4,44%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>54,11</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>55,23</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,14</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>8,96</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>1.217.329 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>0,11 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,43</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>15,76</b>
Average annual expenditure per patient	<b>104,24 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Potentiels\\_evoques\\_moteurs\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Somatosensory evoked potentials

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Neurology</i> <b>98,60%</b>
Main prescribers:	<i>Not applicable</i> <b>-</b>
<b>USAGE RATE</b>	
Number of services per year	<b>36.530</b>
Average occurrence per patient per day (services)	<b>1,00</b>
Average occurrence per patient per year (days)	<b>1,11</b>
Total average occurrence	<b>1,11</b>
Estimated number of patients (per year)	<b>32.984</b>
Standardised usage rate (per 100 000 insured persons)	<b>286</b>
Percentage of outpatient care	<b>69,49%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>59 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,48</b>
Percentage of women (patients)	<b>58,77%</b>
Ratio Preferential rate/General rate (patients)	<b>1,76</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>0,56%</b>
Trend <sup>3</sup> (2013-2021)	<b>0,97%</b>
Trend <sup>3</sup> (2021-2023)	<b>-1,05%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>53,95</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>52,81</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,75</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>7,03</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>3.257.499 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>0,28 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,67</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>6,22</b>
Average annual expenditure per patient	<b>98,76 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Potentiels\\_evoques\\_somato-sensoriels\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Transfontanellar ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>64,01%</b>
Main prescribers:	<i>Paediatrics</i>	<b>39,92%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>13.455</b>
Average occurrence per patient per day (services)	1,03	
Average occurrence per patient per year (days)	1,64	
Total average occurrence	1,69	
Estimated number of patients (per year)	7.680	
Standardised usage rate (per 100 000 insured persons)	67	
Percentage of outpatient care	25,79%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	0 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	NA	
Percentage of women (patients)	52,17%	
Ratio Preferential rate/General rate (patients)	0,92	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,83%	NS
Trend <sup>3</sup> (2013-2021)	0,27%	NS
Trend <sup>3</sup> (2021-2023)	3,08%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	28,67	NS
Coefficient of variation <sup>4</sup> (2021-2023)	27,95	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,52	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,26	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	502.462 €	
Average annual expenditure per insured <sup>5</sup>	0,04 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	4,1	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,83	
Average annual expenditure per patient	65,42 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Imagerie\\_crane\\_et\\_cerveau\\_Echographie\\_transfontanellaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Head imaging (except angiography)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	99,01%
Main prescribers:		17,53%
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	906.322
	<b>Average occurrence per patient per day (services)</b>	1,04
	<b>Average occurrence per patient per year (days)</b>	1,35
	<b>Total average occurrence</b>	1,40
	<b>Estimated number of patients (per year)</b>	648.225
	<b>Standardised usage rate (per 100 000 insured persons)</b>	5.627
	<b>Percentage of outpatient care</b>	75,01%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
	<b>Median age of patients</b>	60 years
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	1,11
	<b>Percentage of women (patients)</b>	55,73%
	<b>Ratio Preferential rate/General rate (patients)</b>	1,43
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	-0,21% **
	<b>Trend<sup>3</sup> (2013-2021)</b>	-1,19% ***
	<b>Trend<sup>3</sup> (2021-2023)</b>	3,80%
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	10,07
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	11,17 NS
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	1,18
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	1,48
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	87.518.992 €
	<b>Average annual expenditure per insured<sup>5</sup></b>	7,6 €
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	1,15
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	1,46
	<b>Average annual expenditure per patient</b>	135,01 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	Yes ***
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	Yes ***

Link to the report: [RAPPORT-EN-Imagerie\\_de\\_la\\_tete\\_sauf\\_angiographie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Brain SPECT

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Other specialities</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>11.259</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,05	
Total average occurrence	1,06	
Estimated number of patients (per year)	10.622	
Standardised usage rate (per 100 000 insured persons)	92	
Percentage of outpatient care	81,26%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	74 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,12	
Percentage of women (patients)	50,52%	
Ratio Preferential rate/General rate (patients)	1,29	
<b>TRENDS</b>		
Trend <sup>2</sup> (2016-2023)	-1,89%	NS
Trend <sup>3</sup> (2016-2021)	-2,58%	NS
Trend <sup>3</sup> (2021-2023)	-0,13%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2016-2018)	66,04	NS
Coefficient of variation <sup>4</sup> (2021-2023)	68,22	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,75	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	5,69	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	4.618.028 €	
Average annual expenditure per insured <sup>5</sup>	0,4 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,52	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,17	
Average annual expenditure per patient	434,74 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-SPECT\\_cerebral\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Stroke - Diagnosis and treatment planning

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Neurology</i>	<b>99,99%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
Number of services per year		<b>24.481</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,04</b>
Total average occurrence		<b>1,04</b>
Estimated number of patients (per year)		<b>23.500</b>
Standardised usage rate (per 100 000 insured persons)		<b>204</b>
Percentage of outpatient care		<b>0,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>75 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,11</b>
Percentage of women (patients)		<b>49,33%</b>
Ratio Preferential rate/General rate (patients)		<b>1,31</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>6,60%</b>	**
Trend <sup>3</sup> (2013-2021)	<b>7,71%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>2,24%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>55,04</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>41,85</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,9</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>10,45</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>2.907.044 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,25 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,93</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>10,76</b>	
Average annual expenditure per patient	<b>123,71 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-AVC Diagnostic et plan de traitement 2023.pdf](#)

# Medical practice variations – SUMMARY

Stroke coordination - Care plan

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Neurology</i>	<b>99,99%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>18.881</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,03	
Total average occurrence	1,03	
Estimated number of patients (per year)	<b>18.270</b>	
Standardised usage rate (per 100 000 insured persons)	159	
Percentage of outpatient care	0,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	75 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	49,03%	
Ratio Preferential rate/General rate (patients)	1,34	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	7,27%	**
Trend <sup>3</sup> (2013-2021)	8,54%	***
Trend <sup>3</sup> (2021-2023)	2,36%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	52,12	NS
Coefficient of variation <sup>4</sup> (2021-2023)	40,01	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,76	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	6,8	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	2.241.344 €	
Average annual expenditure per insured <sup>5</sup>	0,19 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,77	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,89	
Average annual expenditure per patient	122,68 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-AVC Plan de soins 2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Peripheral nervous system

Nerve conduction velocity

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Physical medicine	<b>62,14%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>328.514</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,14</b>
	Total average occurrence	<b>1,15</b>
	Estimated number of patients (per year)	<b>286.446</b>
	Standardised usage rate (per 100 000 insured persons)	<b>2.486</b>
	Percentage of outpatient care	<b>94,72%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>57 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,05</b>
Percentage of women (patients)		<b>59,23%</b>
Ratio Preferential rate/General rate (patients)		<b>1,41</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-0,75%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-1,06%</b>
	Trend <sup>3</sup> (2021-2023)	<b>0,51%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>26,81</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>20,37</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,26</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,75</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>15.679.209 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>1,36 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,19</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,69</b>
	Average annual expenditure per patient	<b>54,74 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>

Link to the report: [RAPPORT-EN-Vitesse\\_de\\_conduction\\_nerveuse\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Carpal tunnel

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>80,24%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>36.348</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,02</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,13</b>
	<b>Total average occurrence</b>	<b>1,15</b>
	<b>Estimated number of patients (per year)</b>	<b>31.670</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>275</b>
	<b>Percentage of outpatient care</b>	<b>97,89%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>60 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,1</b>	
Percentage of women (patients)	<b>62,00%</b>	
Ratio Preferential rate/General rate (patients)	<b>1</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,34%</b>	*
Trend <sup>3</sup> (2013-2021)	<b>1,88%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>4,17%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>19,06</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>19,34</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,03</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,86</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>7.618.783 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,66 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,1</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,84</b>	
Average annual expenditure per patient	<b>240,57 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Canal\\_Carpien\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### C. Global functions

#### Neuropsychological evaluation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Neurology</i>	<b>69,81%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>15.374</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,00
	Total average occurrence	1,00
	Estimated number of patients (per year)	<b>15.324</b>
	Standardised usage rate (per 100 000 insured persons)	133
	Percentage of outpatient care	100,00%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		76 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,1
	Percentage of women (patients)	55,49%
	Ratio Preferential rate/General rate (patients)	1,06
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>3,26%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,56%</b>
	Trend <sup>3</sup> (2021-2023)	<b>10,32%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>33,78</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>31,09</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,42
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,74
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>1.838.366 €</b>
	Average annual expenditure per insured <sup>5</sup>	0,16 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,43
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,78
	Average annual expenditure per patient	119,97 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA

Link to the report: [RAPPORT-EN-Examen\\_neuropsychologique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Polysomnography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pneumology	71,68%
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	85.000
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,00
	Total average occurrence	1,00
	Estimated number of patients (per year)	84.972
	Standardised usage rate (per 100 000 insured persons)	738
	Percentage of outpatient care	4,76%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		50 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,13
Percentage of women (patients)		42,32%
Ratio Preferential rate/General rate (patients)		1,15
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,96%	***
Trend <sup>3</sup> (2013-2021)	1,31%	**
Trend <sup>3</sup> (2021-2023)	9,83%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	29,67	NS
Coefficient of variation <sup>4</sup> (2021-2023)	24,69	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,6	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,58	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	22.893.711 €	
Average annual expenditure per insured <sup>5</sup>	1,99 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,6	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,57	
Average annual expenditure per patient	269,43 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Polysomnographie\\_2023.pdf](#)

## 3. SENSORY SYSTEM

---

### A. Eyes

Visual field test

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,75%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>461.114</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,22</b>
	Total average occurrence	<b>1,24</b>
	Estimated number of patients (per year)	<b>372.007</b>
	Standardised usage rate (per 100 000 insured persons)	<b>3.229</b>
	Percentage of outpatient care	<b>99,35%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>66 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,08</b>
Percentage of women (patients)		<b>57,02%</b>
Ratio Preferential rate/General rate (patients)		<b>0,85</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,34%</b>
	Trend <sup>3</sup> (2013-2021)	<b>0,70%</b>
	Trend <sup>3</sup> (2021-2023)	<b>3,92%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>33,51</b>	**
Coefficient of variation <sup>4</sup> (2021-2023)	<b>33,5</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,33</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>3,43</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>12.647.494 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>1,1 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,26</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>3,11</b>
Average annual expenditure per patient	<b>34 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Perimetrie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Refractometry

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Ophthalmological surgery	<b>99,20%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>107.160</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,25	
Total average occurrence	1,25	
Estimated number of patients (per year)	<b>86.921</b>	
Standardised usage rate (per 100 000 insured persons)	754	
Percentage of outpatient care	91,11%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	27 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	6,27	
Percentage of women (patients)	52,95%	
Ratio Preferential rate/General rate (patients)	1,33	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-4,26%	**
Trend <sup>3</sup> (2013-2021)	-4,84%	**
Trend <sup>3</sup> (2021-2023)	-1,93%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	62,77	NS
Coefficient of variation <sup>4</sup> (2021-2023)	58,42	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	3,12	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	8,57	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	631.590 €	
Average annual expenditure per insured <sup>5</sup>	0,05 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,87	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	8,31	
Average annual expenditure per patient	7,27 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Refractometrie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Ophthalmoscopy - Anterior segment

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,70%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>3.851.745</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,64	
Total average occurrence	1,64	
Estimated number of patients (per year)	<b>2.348.684</b>	
Standardised usage rate (per 100 000 insured persons)	<b>20.387</b>	
Percentage of outpatient care	99,29%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	59 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,31</b>	
Percentage of women (patients)	<b>57,77%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,89</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,54%</b>	*
Trend <sup>3</sup> (2013-2021)	<b>-0,10%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>3,16%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>8,67</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>11,16</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,15</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,6</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>31.569.857 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>2,74 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,08</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,53</b>	
Average annual expenditure per patient	<b>13,44 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Ophthalmoscopie\\_Segment\\_anterieur\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Ophthalmoscopy - Fundoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,62%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>2.053.976</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,42	
Total average occurrence	1,43	
Estimated number of patients (per year)	<b>1.438.755</b>	
Standardised usage rate (per 100 000 insured persons)	<b>12.489</b>	
Percentage of outpatient care	98,69%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,65	
Percentage of women (patients)	<b>57,33%</b>	
Ratio Preferential rate/General rate (patients)	0,91	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>-0,92%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>-1,33%</b>	**
Trend <sup>3</sup> (2021-2023)	<b>0,73%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>12,08</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>21,45</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,32	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,45	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>14.955.692 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,3 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,49	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,91	
Average annual expenditure per patient	10,39 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Ophthalmoscopie Fond de l'oeil 2023.pdf](#)

## Medical practice variations – SUMMARY

### Endothelial cell counting

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,85%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>129.046</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,32	
Total average occurrence	1,32	
Estimated number of patients (per year)	<b>97.730</b>	
Standardised usage rate (per 100 000 insured persons)	848	
	Percentage of outpatient care	99,19%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	73 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	57,53%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	4,44%	***
Trend <sup>3</sup> (2013-2021)	3,18%	NS
Trend <sup>3</sup> (2021-2023)	9,63%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	28,62	NS
Coefficient of variation <sup>4</sup> (2021-2023)	20,09	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,23	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,18	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	5.818.843 €	
Average annual expenditure per insured <sup>5</sup>	0,51 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,18	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,88	
Average annual expenditure per patient	59,54 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Comptage\\_cellulaire\\_endothelial\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Ocular biometrics

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Ophthalmological surgery</i> <b>99,87%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
Number of services per year	<b>160.757</b>
Average occurrence per patient per day (services)	<b>1,00</b>
Average occurrence per patient per year (days)	<b>1,36</b>
Total average occurrence	<b>1,37</b>
Estimated number of patients (per year)	<b>117.636</b>
Standardised usage rate (per 100 000 insured persons)	<b>1.021</b>
Percentage of outpatient care	<b>99,09%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>74 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,04</b>
Percentage of women (patients)	<b>57,27%</b>
Ratio Preferential rate/General rate (patients)	<b>1,03</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>1,98%</b>
Trend <sup>3</sup> (2013-2021)	<b>0,81%</b>
Trend <sup>3</sup> (2021-2023)	<b>6,81%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>12,5</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>9,7</b>
NS	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,03</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,55</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>16.476.003 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>1,43 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,06</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,52</b>
Average annual expenditure per patient	<b>140,06 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Biometrie\\_oculaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Ocular motility test

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,49%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>127.858</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,19	
Total average occurrence	1,19	
Estimated number of patients (per year)	<b>107.521</b>	
Standardised usage rate (per 100 000 insured persons)	933	
Percentage of outpatient care	99,45%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	11 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,75	
Percentage of women (patients)	53,65%	
Ratio Preferential rate/General rate (patients)	1,36	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>7,51%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>7,55%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>7,34%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>36,37</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	67,5	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	3,2	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	6,44	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>2.335.615 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,2 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,84	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,11	
Average annual expenditure per patient	21,72 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Test\\_mobilite\\_oculaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Ocular tonometry

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,76%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.734.894</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,58	
Total average occurrence	1,58	
Estimated number of patients (per year)	<b>1.100.113</b>	
Standardised usage rate (per 100 000 insured persons)	9.549	
Percentage of outpatient care	98,82%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	64 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,24	
Percentage of women (patients)	58,11%	
Ratio Preferential rate/General rate (patients)	0,95	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,66%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,50%</b>
	Trend <sup>3</sup> (2021-2023)	<b>7,40%</b>
		**
		***
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>25,19</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	31,59
		NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,76	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,6	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>12.586.151 €</b>
	Average annual expenditure per insured <sup>5</sup>	1,09 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,74
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,52
	Average annual expenditure per patient	11,44 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA
		NA

Link to the report: [RAPPORT-EN-Dynamo\\_Tonometrie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## Keratometry

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Ophthalmological surgery	<b>99,59%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>22.451</b>
	Average occurrence per patient per day (services)	<b>1,00</b>
	Average occurrence per patient per year (days)	<b>1,15</b>
	Total average occurrence	<b>1,16</b>
	Estimated number of patients (per year)	<b>19.457</b>
	Standardised usage rate (per 100 000 insured persons)	<b>169</b>
	Percentage of outpatient care	<b>99,80%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		45 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,94</b>
Percentage of women (patients)		<b>51,26%</b>
Ratio Preferential rate/General rate (patients)		<b>0,93</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>3,07%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,04%</b>
	Trend <sup>3</sup> (2021-2023)	<b>11,61%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>157,8</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>67,95</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>2,16</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>5,28</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>242.277 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,02 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>2,2</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>5,45</b>
Average annual expenditure per patient		<b>12,45 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>NA</b>

Link to the report: [RAPPORT-EN-Keratometrie\\_topographique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Angiography of the retina

TOTAL		
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,87%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>65.782</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,21</b>
Total average occurrence		<b>1,22</b>
Estimated number of patients (per year)		<b>53.978</b>
Standardised usage rate (per 100 000 insured persons)		<b>469</b>
Percentage of outpatient care		<b>98,71%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>71 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,12</b>
Percentage of women (patients)		<b>50,19%</b>
Ratio Preferential rate/General rate (patients)		<b>1,41</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>-1,13%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>-1,69%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>1,13%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>28,3</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>49</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,46</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>6,46</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>13.249.753 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>1,15 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,38</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>5,75</b>	
Average annual expenditure per patient	<b>245,47 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Angiographie\\_retine\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Visual evoked potentials

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Neurology</i>	<b>82,38%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
Number of services per year		<b>28.098</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,09</b>
Total average occurrence		<b>1,09</b>
Estimated number of patients (per year)		<b>25.798</b>
Standardised usage rate (per 100 000 insured persons)		<b>224</b>
Percentage of outpatient care		<b>80,22%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>51 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,45</b>
Percentage of women (patients)		<b>61,26%</b>
Ratio Preferential rate/General rate (patients)		<b>1,55</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>-1,51%</b>
Trend <sup>3</sup> (2013-2021)		<b>-1,74%</b>
Trend <sup>3</sup> (2021-2023)		<b>-0,56%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>57,05</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>45,19</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,97</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>7,31</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>2.614.662 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,23 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,96</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>7,28</b>
Average annual expenditure per patient		<b>101,35 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Potentiels\\_evoques\\_visuels\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Cataract surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Ophthalmological surgery	<b>99,92%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>245.786</b>
Average occurrence per patient per day (services)	1,06	
Average occurrence per patient per year (days)	1,50	
Total average occurrence	1,59	
Estimated number of patients (per year)	<b>154.541</b>	
Standardised usage rate (per 100 000 insured persons)	1.341	
Percentage of outpatient care	97,61%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	75 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	58,43%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,92%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>0,69%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>6,97%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>13,18</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>11,62</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,1	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,58	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>132.541.704 €</b>	
Average annual expenditure per insured <sup>5</sup>	11,5 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,07	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,56	
Average annual expenditure per patient	857,65 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Chirurgie de la cataracte 2023.pdf](#)

## Medical practice variations – SUMMARY

Glaucoma surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	99,95%
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>44.138</b>
Average occurrence per patient per day (services)	1,31	
Average occurrence per patient per year (days)	1,40	
Total average occurrence	1,84	
Estimated number of patients (per year)	23.938	
Standardised usage rate (per 100 000 insured persons)	208	
Percentage of outpatient care	96,81%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	66 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	60,28%	
Ratio Preferential rate/General rate (patients)	0,94	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	4,24%	***
Trend <sup>3</sup> (2013-2021)	3,51%	**
Trend <sup>3</sup> (2021-2023)	7,21%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	38,64	
Coefficient of variation <sup>4</sup> (2021-2023)	39,16	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,64	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,11	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	5.276.502 €	
Average annual expenditure per insured <sup>5</sup>	0,46 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,46	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,07	
Average annual expenditure per patient	220,42 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Glaucome\\_Traitement\\_chirurgical\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Intravitreal injection

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,87%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>230.649</b>
Average occurrence per patient per day (services)	1,13	
Average occurrence per patient per year (days)	4,31	
Total average occurrence	4,86	
Estimated number of patients (per year)	<b>47.310</b>	
Standardised usage rate (per 100 000 insured persons)	<b>411</b>	
Percentage of outpatient care	99,01%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	79 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,07</b>	
Percentage of women (patients)	<b>55,75%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,1</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>9,78%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>11,07%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>4,80%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>17,79</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>15,37</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,09</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,74</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>21.738.942 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>1,89 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,11</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,89</b>	
Average annual expenditure per patient	<b>459,5 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Injection\\_intravitreenne\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Vitrectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Ophthalmological surgery	<b>99,96%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>13.100</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,24	
Total average occurrence	1,25	
Estimated number of patients (per year)	<b>10.645</b>	
Standardised usage rate (per 100 000 insured persons)	92	
Percentage of outpatient care	54,04%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	68 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	45,10%	
Ratio Preferential rate/General rate (patients)	0,96	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>3,76%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>2,75%</b>	*
Trend <sup>3</sup> (2021-2023)	<b>7,88%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>17,99</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>13,77</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,17	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,67	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>13.700.532 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,19 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,26	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,73	
Average annual expenditure per patient	1287,09 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Vitrectomie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Panretinal photocoagulation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Ophthalmological surgery</i>	<b>99,72%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>19.882</b>
Average occurrence per patient per day (services)	1,06	
Average occurrence per patient per year (days)	1,79	
Total average occurrence	1,89	
Estimated number of patients (per year)	<b>10.656</b>	
Standardised usage rate (per 100 000 insured persons)	92	
Percentage of outpatient care	98,43%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	65 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	43,51%	
Ratio Preferential rate/General rate (patients)	1,47	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-3,27%	***
Trend <sup>3</sup> (2013-2021)	-3,94%	NS
Trend <sup>3</sup> (2021-2023)	-0,55%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	28,92	NS
Coefficient of variation <sup>4</sup> (2021-2023)	24,97	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,31	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,63	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.574.944 €	
Average annual expenditure per insured <sup>5</sup>	0,14 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,59	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,72	
Average annual expenditure per patient	147,81 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Photocoagulation de la rétine 2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Ears

### Tympanoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Otorhinolaryngology	<b>99,97%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>1.356.282</b>
	Average occurrence per patient per day (services)	<b>1,02</b>
	Average occurrence per patient per year (days)	<b>1,52</b>
	Total average occurrence	<b>1,55</b>
	Estimated number of patients (per year)	<b>870.949</b>
	Standardised usage rate (per 100 000 insured persons)	<b>7.560</b>
	Percentage of outpatient care	<b>98,33%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>45 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,51</b>	
Percentage of women (patients)	<b>52,52%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,07</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,72%</b>
	Trend <sup>3</sup> (2013-2021)	<b>0,30%</b>
	Trend <sup>3</sup> (2021-2023)	<b>7,60%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>18,1</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>16,65</b>
	NS	
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,31</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,85</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>12.781.844 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>1,11 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,28</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,71</b>
	Average annual expenditure per patient	<b>14,68 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>
	***	NA

Link to the report: [RAPPORT-EN-Tympanoscopie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Hearing tests

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Otorhinolaryngology	<b>98,12%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>1.431.423</b>
Average occurrence per patient per day (services)	1,65	
Average occurrence per patient per year (days)	1,35	
Total average occurrence	2,22	
Estimated number of patients (per year)	<b>643.974</b>	
Standardised usage rate (per 100 000 insured persons)	5.590	
Percentage of outpatient care	97,49%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	47 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,68	
Percentage of women (patients)	52,78%	
Ratio Preferential rate/General rate (patients)	1,11	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,59%	***
Trend <sup>3</sup> (2013-2021)	0,20%	***
Trend <sup>3</sup> (2021-2023)	7,37%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	29,76	
Coefficient of variation <sup>4</sup> (2021-2023)	25,15	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,5	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,52	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	39.248.491 €	
Average annual expenditure per insured <sup>5</sup>	3,41 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,77	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,65	
Average annual expenditure per patient	60,95 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Tests\\_auditifs\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Vestibular tests

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,95%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>90.363</b>
Average occurrence per patient per day (services)	1,07	
Average occurrence per patient per year (days)	1,42	
Total average occurrence	1,52	
Estimated number of patients (per year)	59.772	
Standardised usage rate (per 100 000 insured persons)	519	
Percentage of outpatient care	93,32%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	61 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,18	
Percentage of women (patients)	64,49%	
Ratio Preferential rate/General rate (patients)	1,21	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	5,50%	***
Trend <sup>3</sup> (2013-2021)	5,86%	NS
Trend <sup>3</sup> (2021-2023)	4,08%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	26,93	NS
Coefficient of variation <sup>4</sup> (2021-2023)	24,35	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,21	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,75	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	4.612.818 €	
Average annual expenditure per insured <sup>5</sup>	0,4 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,26	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,75	
Average annual expenditure per patient	77,17 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Tests\\_vestibulaires\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Middle ear drainage

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,95%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>53.549</b>
Average occurrence per patient per day (services)	1,05	
Average occurrence per patient per year (days)	1,12	
Total average occurrence	1,18	
Estimated number of patients (per year)	45.785	
Standardised usage rate (per 100 000 insured persons)	397	
Percentage of outpatient care	97,16%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	4 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,67	
Percentage of women (patients)	45,08%	
Ratio Preferential rate/General rate (patients)	0,67	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,31%	***
Trend <sup>3</sup> (2013-2021)	-5,90%	***
Trend <sup>3</sup> (2021-2023)	29,51%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	35,66	NS
Coefficient of variation <sup>4</sup> (2021-2023)	35,38	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,38	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,8	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	4.371.292 €	
Average annual expenditure per insured <sup>5</sup>	0,38 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,78	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,62	
Average annual expenditure per patient	95,47 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Drainage\\_de\\_loreille\\_moyenne\\_2023.pdf](#)

## 4. RESPIRATORY SYSTEM

---

### A. Upper respiratory tract

Rhinometry

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,66%</b>
Main prescribers:		<i>Not applicable</i>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>57.312</b>
Average occurrence per patient per day (services)	1,29	
Average occurrence per patient per year (days)	1,16	
Total average occurrence	1,50	
Estimated number of patients (per year)	38.342	
Standardised usage rate (per 100 000 insured persons)	333	
	Percentage of outpatient care	98,96%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	39 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,35	
Percentage of women (patients)	49,05%	
Ratio Preferential rate/General rate (patients)	1,26	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,24%	NS
Trend <sup>3</sup> (2013-2021)	-3,24%	NS
Trend <sup>3</sup> (2021-2023)	7,19%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	65,71	
Coefficient of variation <sup>4</sup> (2021-2023)	54,87	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	3,2	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	10,17	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.959.409 €	
Average annual expenditure per insured <sup>5</sup>	0,17 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	3,59	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	10,1	
Average annual expenditure per patient	51,1 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Rhinometrie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Rhinoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,67%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>340.886</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,44	
Total average occurrence	1,44	
Estimated number of patients (per year)	236.730	
Standardised usage rate (per 100 000 insured persons)	2.055	
Percentage of outpatient care	97,80%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	41 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,59	
Percentage of women (patients)	50,30%	
Ratio Preferential rate/General rate (patients)	1,07	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,34%	***
Trend <sup>3</sup> (2013-2021)	-0,24%	***
Trend <sup>3</sup> (2021-2023)	7,90%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	23,56	NS
Coefficient of variation <sup>4</sup> (2021-2023)	20,17	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,41	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,38	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	9.509.260 €	
Average annual expenditure per insured <sup>5</sup>	0,83 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,31	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,23	
Average annual expenditure per patient	40,17 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Rhinoscopie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Voice function

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,98%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>57.052</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,22</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,34</b>
	<b>Total average occurrence</b>	<b>1,64</b>
	<b>Estimated number of patients (per year)</b>	<b>34.877</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>303</b>
	<b>Percentage of outpatient care</b>	<b>97,54%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		57 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,21</b>
Percentage of women (patients)		<b>58,45%</b>
Ratio Preferential rate/General rate (patients)		<b>1,09</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>4,76%</b>
	Trend <sup>3</sup> (2013-2021)	<b>4,26%</b>
	Trend <sup>3</sup> (2021-2023)	<b>6,79%</b>
		*
		NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>72,5</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>51,36</b>
	NS	
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,24</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,74</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>3.184.231 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,28 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,24</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,17</b>
	Average annual expenditure per patient	<b>91,3 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes
		***
		***

Link to the report: [RAPPORT-EN-Fonction\\_vocale\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Laryngoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>98,75%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>324.305</b>
	Average occurrence per patient per day (services)	1,02
	Average occurrence per patient per year (days)	1,36
	Total average occurrence	1,39
	Estimated number of patients (per year)	<b>234.601</b>
	Standardised usage rate (per 100 000 insured persons)	2.036
	Percentage of outpatient care	91,65%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	53 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,33	
Percentage of women (patients)	52,81%	
Ratio Preferential rate/General rate (patients)	1,19	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,17%	*
Trend <sup>3</sup> (2013-2021)	0,01%	NS
Trend <sup>3</sup> (2021-2023)	5,93%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	37,48	NS
Coefficient of variation <sup>4</sup> (2021-2023)	28,39	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,72	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,6	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	12.277.572 €	
Average annual expenditure per insured <sup>5</sup>	1,07 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,65	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,37	
Average annual expenditure per patient	52,33 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Laryngoscopie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Sinus endoscopy

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Otorhinolaryngology</i> <b>99,93%</b>
Main prescribers:	<i>Not applicable</i> <b>-</b>
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>47.497</b>
Average occurrence per patient per day (services)	<b>1,00</b>
Average occurrence per patient per year (days)	<b>1,84</b>
Total average occurrence	<b>1,84</b>
Estimated number of patients (per year)	<b>25.997</b>
Standardised usage rate (per 100 000 insured persons)	<b>226</b>
Percentage of outpatient care	<b>98,11%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>53 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,16</b>
Percentage of women (patients)	<b>48,48%</b>
Ratio Preferential rate/General rate (patients)	<b>1,15</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>2,18%</b>
Trend <sup>3</sup> (2013-2021)	<b>1,14%</b>
Trend <sup>3</sup> (2021-2023)	<b>6,47%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>55,71</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>34,43</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,83</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>6,19</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>4.159.638 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>0,36 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,56</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,85</b>
Average annual expenditure per patient	<b>160 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Endoscopie\\_sinuse\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Removal of foreign bodies

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General practitioners	71,25%
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	67.332
	Average occurrence per patient per day (services)	1,03
	Average occurrence per patient per year (days)	1,11
	Total average occurrence	1,14
	Estimated number of patients (per year)	59.230
	Standardised usage rate (per 100 000 insured persons)	514
	Percentage of outpatient care	99,12%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
	Median age of patients	53 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,78
	Percentage of women (patients)	49,09%
	Ratio Preferential rate/General rate (patients)	1,17
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	3,10%
	Trend <sup>3</sup> (2013-2021)	2,62%
	Trend <sup>3</sup> (2021-2023)	5,02% NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	51,51
	Coefficient of variation <sup>4</sup> (2021-2023)	38,99
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,68
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,32
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	641.389 €
	Average annual expenditure per insured <sup>5</sup>	0,06 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,65
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4
	Average annual expenditure per patient	10,83 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA NA

Link to the report: [RAPPORT-EN-Extraction\\_de\\_corps\\_etrangers\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Epistaxis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>87,10%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>35.686</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,11</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,25</b>
	<b>Total average occurrence</b>	<b>1,38</b>
	<b>Estimated number of patients (per year)</b>	<b>25.894</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>225</b>
	<b>Percentage of outpatient care</b>	<b>94,78%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>52 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,76</b>	
Percentage of women (patients)	<b>40,63%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,02</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>-0,23%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>0,37%</b>	*
Trend <sup>3</sup> (2021-2023)	<b>-2,57%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>22,57</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>20,4</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,51</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,51</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>191.913 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,02 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,94</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,56</b>	
Average annual expenditure per patient	<b>7,41 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Epistaxis\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Internal rhinoplasty

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>90,71%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>33.271</b>
Average occurrence per patient per day (services)	1,54	
Average occurrence per patient per year (days)	1,03	
Total average occurrence	1,59	
Estimated number of patients (per year)	<b>20.835</b>	
Standardised usage rate (per 100 000 insured persons)	181	
Percentage of outpatient care	55,79%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	34 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,29	
Percentage of women (patients)	<b>45,57%</b>	
Ratio Preferential rate/General rate (patients)	1,06	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,29%</b>	NS
Trend <sup>3</sup> (2013-2021)	-0,17%	NS
Trend <sup>3</sup> (2021-2023)	<b>2,16%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>48,09</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	18,6	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,21	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,54	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>5.764.396 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,5 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,16	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,56	
Average annual expenditure per patient	276,67 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Plasties internes du nez 2023.pdf](#)

## Medical practice variations – SUMMARY

Sinusitis surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Otorhinolaryngology	<b>97,19%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>14.962</b>
Average occurrence per patient per day (services)	1,57	
Average occurrence per patient per year (days)	1,08	
Total average occurrence	1,70	
Estimated number of patients (per year)	8.834	
Standardised usage rate (per 100 000 insured persons)	77	
Percentage of outpatient care	55,79%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	46 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,22	
Percentage of women (patients)	45,58%	
Ratio Preferential rate/General rate (patients)	0,92	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-3,40%	***
Trend <sup>3</sup> (2013-2021)	-5,90%	NS
Trend <sup>3</sup> (2021-2023)	7,28%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	39,32	NS
Coefficient of variation <sup>4</sup> (2021-2023)	28,52	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,32	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,96	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	5.804.820 €	
Average annual expenditure per insured <sup>5</sup>	0,5 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,49	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,93	
Average annual expenditure per patient	657,07 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Chirurgie\\_de\\_la\\_sinusite\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Tonsillectomy-Adenoidectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Otorhinolaryngology</i>	<b>99,96%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>40.152</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,01	
Total average occurrence	1,01	
Estimated number of patients (per year)	39.651	
Standardised usage rate (per 100 000 insured persons)	344	
Percentage of outpatient care	86,95%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	5 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1	
Percentage of women (patients)	48,89%	
Ratio Preferential rate/General rate (patients)	0,86	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,07%	***
Trend <sup>3</sup> (2013-2021)	-6,00%	***
Trend <sup>3</sup> (2021-2023)	21,38%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	18,3	NS
Coefficient of variation <sup>4</sup> (2021-2023)	20,36	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,6	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,25	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	5.541.500 €	
Average annual expenditure per insured <sup>5</sup>	0,48 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,57	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,25	
Average annual expenditure per patient	139,76 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Amygdalectomie-Adenoidectomie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Lower respiratory tract

### Pulmonary function tests

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pneumology	<b>87,11%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>698.735</b>
	Average occurrence per patient per day (services)	<b>1,03</b>
	Average occurrence per patient per year (days)	<b>1,40</b>
	Total average occurrence	<b>1,44</b>
	Estimated number of patients (per year)	<b>484.425</b>
	Standardised usage rate (per 100 000 insured persons)	<b>4.205</b>
	Percentage of outpatient care	<b>93,55%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>60 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,2</b>	
Percentage of women (patients)	<b>48,71%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,46</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,58%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-0,93%</b>
	Trend <sup>3</sup> (2021-2023)	<b>6,88%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>18,81</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>19,13</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,38</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,23</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>72.719.700 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>6,31 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,5</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,95</b>	
Average annual expenditure per patient	<b>150,12 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>	***

Link to the report: [RAPPORT-EN-Epreuve fonctionnelle respiratoire 2023.pdf](#)

## Medical practice variations – SUMMARY

Thoracic radiography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>99,74%</b>
Main prescribers:	<i>Specialists in training</i>	<b>25,69%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.618.329</b>
Average occurrence per patient per day (services)	1,04	
Average occurrence per patient per year (days)	1,91	
Total average occurrence	1,99	
Estimated number of patients (per year)	<b>816.367</b>	
Standardised usage rate (per 100 000 insured persons)	7.086	
Percentage of outpatient care	45,68%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	64 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	50,64%	
Ratio Preferential rate/General rate (patients)	1,46	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-4,11%	***
Trend <sup>3</sup> (2013-2021)	-5,89%	**
Trend <sup>3</sup> (2021-2023)	3,37%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	10,42	NS
Coefficient of variation <sup>4</sup> (2021-2023)	13,68	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,15	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,5	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>23.484.059 €</b>	
Average annual expenditure per insured <sup>5</sup>	2,04 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,16	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,31	
Average annual expenditure per patient	28,77 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Radiographie du thorax 2023.pdf](#)

# Medical practice variations – SUMMARY

Thoracic CT-scan

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>99,95%</b>
Main prescribers:	<i>Pneumology</i>	<b>29,24%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>436.716</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,27	
Total average occurrence	1,27	
Estimated number of patients (per year)	<b>343.354</b>	
Standardised usage rate (per 100 000 insured persons)	2.980	
Percentage of outpatient care	77,53%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	66 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,11</b>	
Percentage of women (patients)	<b>49,06%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,6</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>4,16%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>6,95%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>-6,31%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>26,74</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>27</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,55</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,52</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>63.712.169 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>5,53 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,61</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,66</b>	
Average annual expenditure per patient	<b>185,56 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-CT-scan\\_thorax\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Bronchoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pneumology	<b>93,82%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>43.078</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,31	
Total average occurrence	1,32	
Estimated number of patients (per year)	<b>32.677</b>	
Standardised usage rate (per 100 000 insured persons)	284	
Percentage of outpatient care	46,49%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	68 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	40,95%	
Ratio Preferential rate/General rate (patients)	2	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-2,82%	***
Trend <sup>3</sup> (2013-2021)	-4,24%	NS
Trend <sup>3</sup> (2021-2023)	3,11%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	27,29	NS
Coefficient of variation <sup>4</sup> (2021-2023)	21,6	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,24	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,29	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	9.786.290 €	
Average annual expenditure per insured <sup>5</sup>	0,85 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,3	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,45	
Average annual expenditure per patient	299,49 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Bronchoscopie\\_2023.pdf](#)

## 5. DIGESTIVE SYSTEM

### A. Mouth, jaw & teeth

Dental imaging

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Dentists</i>	<b>82,26%</b>
Main prescribers:		<i>Not applicable</i> -
<b>USAGE RATE</b>		
	Number of services per year	<b>4.149.376</b>
	Average occurrence per patient per day (services)	<b>1,48</b>
	Average occurrence per patient per year (days)	<b>1,24</b>
	Total average occurrence	<b>1,83</b>
	Estimated number of patients (per year)	<b>2.265.619</b>
	Standardised usage rate (per 100 000 insured persons)	<b>19.666</b>
	Percentage of outpatient care	<b>99,82%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>41</b> years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,16</b>	
Percentage of women (patients)	<b>52,96%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,88</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,83%</b> ***
	Trend <sup>3</sup> (2013-2021)	<b>1,24%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-0,76%</b> NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>15,49</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>12,85</b> NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,17</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,43</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>81.115.743 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>7,04 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,21</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,46</b>
	Average annual expenditure per patient	<b>35,8 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b> ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b> ***

Link to the report: [RAPPORT-EN-Imagerie\\_dentaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Preventive dental care

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>93,76%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>11.046.892</b>
Average occurrence per patient per day (services)	1,93	
Average occurrence per patient per year (days)	1,20	
Total average occurrence	2,31	
Estimated number of patients (per year)	4.801.424	
Standardised usage rate (per 100 000 insured persons)	41.677	
Percentage of outpatient care	99,97%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	40 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	54,05%	
Ratio Preferential rate/General rate (patients)	0,68	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,08%	***
Trend <sup>3</sup> (2013-2021)	1,52%	NS
Trend <sup>3</sup> (2021-2023)	4,38%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	22,47	NS
Coefficient of variation <sup>4</sup> (2021-2023)	16,53	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,26	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,87	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	342.037.374 €	
Average annual expenditure per insured <sup>5</sup>	29,69 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,29	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,09	
Average annual expenditure per patient	71,24 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Soins\\_preventifs\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Periodontal examination (19-60 years)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Periodontologists	<b>64,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>27.732</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>27.731</b>	
Standardised usage rate (per 100 000 insured persons)	455	
Percentage of outpatient care	99,98%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	52,95%	
Median age of patients	45 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	59,29%	
Ratio Preferential rate/General rate (patients)	0,86	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>20,16%</b>
	Trend <sup>3</sup> (2013-2021)	<b>18,14%</b>
	Trend <sup>3</sup> (2021-2023)	<b>28,57%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>41,22</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>38,95</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,55	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	6,7	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>3.234.358 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,53 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,56	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,7	
Average annual expenditure per patient	<b>116,63 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Examen\\_buccal\\_parodontal\\_19-60\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Periodontal index (DPSI)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>90,44%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.466.254</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>1.466.216</b>	
Standardised usage rate (per 100 000 insured persons)	<b>12.727</b>	
Percentage of outpatient care	99,98%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	45 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,07</b>	
Percentage of women (patients)	<b>55,56%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,72</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>21,64%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>19,37%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>31,18%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>38,09</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>34</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,46</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>4,54</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>34.613.938 €</b>	
Average annual expenditure per insured <sup>5</sup>	3 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,45</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,56</b>	
Average annual expenditure per patient	<b>23,61 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Index\\_parodontal\\_DPSI\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Filling of dental cavities

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>95,16%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>6.077.067</b>
Average occurrence per patient per day (services)	1,47	
Average occurrence per patient per year (days)	1,63	
Total average occurrence	2,40	
Estimated number of patients (per year)	2.522.538	
Standardised usage rate (per 100 000 insured persons)	21.896	
Percentage of outpatient care	99,93%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	46 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,14	
Percentage of women (patients)	51,99%	
Ratio Preferential rate/General rate (patients)	0,92	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-0,78% ***
	Trend <sup>3</sup> (2013-2021)	-1,00% NS
	Trend <sup>3</sup> (2021-2023)	0,08%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	9,44
	Coefficient of variation <sup>4</sup> (2021-2023)	8,87 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,07
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,32
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	378.761.706 €
	Average annual expenditure per insured <sup>5</sup>	32,88 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,34
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,39
	Average annual expenditure per patient	150,15 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Obturation\\_de\\_cavites\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Preformed crowns

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>99,31%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>22.116</b>
Average occurrence per patient per day (services)	2,37	
Average occurrence per patient per year (days)	1,12	
Total average occurrence	2,64	
Estimated number of patients (per year)	8.371	
Standardised usage rate (per 100 000 insured persons)	349	
Percentage of outpatient care	99,53%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	20,82%	
Median age of patients	6 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1	
Percentage of women (patients)	45,81%	
Ratio Preferential rate/General rate (patients)	1,45	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	12,86%	**
Trend <sup>3</sup> (2013-2021)	13,98%	NS
Trend <sup>3</sup> (2021-2023)	8,51%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	73,41	NS
Coefficient of variation <sup>4</sup> (2021-2023)	64,46	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,68	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	24,61	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	3.061.652 €	
Average annual expenditure per insured <sup>5</sup>	1,28 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,82	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	28,37	
Average annual expenditure per patient	365,74 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Couronnes preformees moins de 19 2023.pdf](#)

# Medical practice variations – SUMMARY

Endodontics

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>94,36%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>599.178</b>
Average occurrence per patient per day (services)	1,04	
Average occurrence per patient per year (days)	1,41	
Total average occurrence	1,47	
Estimated number of patients (per year)	<b>407.464</b>	
Standardised usage rate (per 100 000 insured persons)	3.537	
Percentage of outpatient care	99,94%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	46 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	50,14%	
Ratio Preferential rate/General rate (patients)	1,29	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,57%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>1,55%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>-3,26%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>23,25</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>23,18</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,66	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,18	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>73.354.635 €</b>	
Average annual expenditure per insured <sup>5</sup>	6,37 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,81	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,25	
Average annual expenditure per patient	180,03 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Endodontie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Dental extraction

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Dentists</i>	<b>63,15%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.397.948</b>
Average occurrence per patient per day (services)	1,87	
Average occurrence per patient per year (days)	1,19	
Total average occurrence	2,23	
Estimated number of patients (per year)	<b>624.751</b>	
Standardised usage rate (per 100 000 insured persons)	5.423	
Percentage of outpatient care	98,82%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	57 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	50,61%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,49%	***
Trend <sup>3</sup> (2013-2021)	0,99%	***
Trend <sup>3</sup> (2021-2023)	3,50%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	6,33	NS
Coefficient of variation <sup>4</sup> (2021-2023)	6,28	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,04	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,28	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>91.320.838 €</b>	
Average annual expenditure per insured <sup>5</sup>	7,93 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,24	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,57	
Average annual expenditure per patient	146,17 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Extraction\\_dentaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Orthodontic treatment

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Orthodontists	<b>65,62%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>92.214</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>92.206</b>	
Standardised usage rate (per 100 000 insured persons)	800	
	Percentage of outpatient care	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	13 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,27	
Percentage of women (patients)	53,65%	
Ratio Preferential rate/General rate (patients)	0,54	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,50%</b>
	Trend <sup>3</sup> (2013-2021)	<b>2,12%</b>
	Trend <sup>3</sup> (2021-2023)	<b>4,00%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>14,01</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>11,31</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,05	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,53	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>67.438.650 €</b>
	Average annual expenditure per insured <sup>5</sup>	5,85 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,25	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,61	
	Average annual expenditure per patient	<b>731,39 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Début\\_de\\_traitement\\_orthodontique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Removable dental prosthesis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>97,31%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>184.758</b>
Average occurrence per patient per day (services)	1,35	
Average occurrence per patient per year (days)	1,02	
Total average occurrence	1,38	
Estimated number of patients (per year)	<b>133.810</b>	
Standardised usage rate (per 100 000 insured persons)	1.162	
Percentage of outpatient care	99,91%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	68 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,06	
Percentage of women (patients)	54,94%	
Ratio Preferential rate/General rate (patients)	1,49	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-2,20%	***
Trend <sup>3</sup> (2013-2021)	-2,54%	***
Trend <sup>3</sup> (2021-2023)	-0,82%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	13,71	
Coefficient of variation <sup>4</sup> (2021-2023)	11,47	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,13	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,54	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	86.108.695 €	
Average annual expenditure per insured <sup>5</sup>	7,47 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,14	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,65	
Average annual expenditure per patient	643,51 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Prothese\\_amovible\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Frenectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>40,56%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>13.833</b>
	Average occurrence per patient per day (services)	<b>1,18</b>
	Average occurrence per patient per year (days)	<b>1,03</b>
	Total average occurrence	<b>1,22</b>
	Estimated number of patients (per year)	<b>11.032</b>
	Standardised usage rate (per 100 000 insured persons)	<b>96</b>
	Percentage of outpatient care	<b>96,57%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	15 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	<b>45</b>
	Percentage of women (patients)	<b>55,52%</b>
	Ratio Preferential rate/General rate (patients)	<b>0,55</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,72%</b>
	Trend <sup>3</sup> (2013-2021)	<b>4,10%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-2,60%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>47,47</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>41,75</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,16</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>4,31</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>717.606 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,06 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,17</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>3,7</b>
	Average annual expenditure per patient	<b>65,05 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Frenectomie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## Gingivectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>61,50%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>16.969</b>
Average occurrence per patient per day (services)	1,06	
Average occurrence per patient per year (days)	1,14	
Total average occurrence	1,20	
Estimated number of patients (per year)	<b>14.133</b>	
Standardised usage rate (per 100 000 insured persons)	<b>123</b>	
Percentage of outpatient care	99,50%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	55 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,29	
Percentage of women (patients)	54,92%	
Ratio Preferential rate/General rate (patients)	0,84	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>-3,82%</b>	*
Trend <sup>3</sup> (2013-2021)	<b>-1,39%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>-12,94%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>45,54</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>60,63</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,78	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	10,23	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>468.686 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,04 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,76	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	10,84	
Average annual expenditure per patient	33,16 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Gingivectomie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Incision of abscess of dental origin

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>85,72%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>18.407</b>
Average occurrence per patient per day (services)		1,02
Average occurrence per patient per year (days)		1,07
Total average occurrence		1,09
Estimated number of patients (per year)		<b>17.119</b>
Standardised usage rate (per 100 000 insured persons)		149
Percentage of outpatient care		99,61%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		52 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,41
Percentage of women (patients)		53,00%
Ratio Preferential rate/General rate (patients)		1,2
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-6,75%	***
Trend <sup>3</sup> (2013-2021)	-6,16%	NS
Trend <sup>3</sup> (2021-2023)	-9,09%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	48,57	NS
Coefficient of variation <sup>4</sup> (2021-2023)	54,64	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,56	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	7,05	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	252.152 €	
Average annual expenditure per insured <sup>5</sup>	0,02 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,56	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	7,42	
Average annual expenditure per patient	14,73 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Incision\\_dabces\\_dorigine\\_dentaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Surgery for parodontal cysts

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Stomatologists</i>	<b>99,50%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>14.823</b>
Average occurrence per patient per day (services)		<b>1,11</b>
Average occurrence per patient per year (days)		<b>1,01</b>
Total average occurrence		<b>1,13</b>
Estimated number of patients (per year)		<b>13.125</b>
Standardised usage rate (per 100 000 insured persons)		<b>114</b>
Percentage of outpatient care		<b>97,42%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		52 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,24</b>
Percentage of women (patients)		<b>46,45%</b>
Ratio Preferential rate/General rate (patients)		<b>1,37</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,36%</b>	*
Trend <sup>3</sup> (2013-2021)	<b>0,19%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>1,03%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>66,78</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>61,14</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>5,27</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>9,32</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>3.104.574 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,27 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>4,74</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>8,4</b>	
Average annual expenditure per patient	<b>236,54 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Chirurgie\\_pour\\_kystes\\_parodontaires\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Oral osteitis curettage

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dentists	<b>45,55%</b>
Main prescribers:		<i>Not applicable</i>
<b>USAGE RATE</b>		
	Number of services per year	<b>177.087</b>
Average occurrence per patient per day (services)		1,06
Average occurrence per patient per year (days)		1,08
Total average occurrence		1,15
Estimated number of patients (per year)		154.582
Standardised usage rate (per 100 000 insured persons)		1.342
Percentage of outpatient care		99,06%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		55 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,16
Percentage of women (patients)		49,07%
Ratio Preferential rate/General rate (patients)		1,25
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	5,50%	***
Trend <sup>3</sup> (2013-2021)	5,36%	NS
Trend <sup>3</sup> (2021-2023)	6,08%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	31,24	NS
Coefficient of variation <sup>4</sup> (2021-2023)	19,49	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,29	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,02	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	13.890.960 €	
Average annual expenditure per insured <sup>5</sup>	1,21 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,38	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,97	
Average annual expenditure per patient	89,86 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Curetage\\_dosteite\\_dentaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Trepanation of jawbone

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Stomatologists	<b>99,71%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>14.671</b>
Average occurrence per patient per day (services)	1,12	
Average occurrence per patient per year (days)	1,03	
Total average occurrence	1,15	
Estimated number of patients (per year)	<b>12.863</b>	
Standardised usage rate (per 100 000 insured persons)	<b>112</b>	
Percentage of outpatient care	<b>96,17%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	51 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,39</b>	
Percentage of women (patients)	<b>47,72%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,12</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,96%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>3,10%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>2,38%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>62,18</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>62,03</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,79</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>13,16</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>4.810.507 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,42 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,79</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>13,12</b>	
Average annual expenditure per patient	<b>373,97 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Trepanation du maxillaire 2023.pdf](#)

## Medical practice variations – SUMMARY

Osteotomy with displacement of jawbone

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Stomatologists</i>	<b>99,76%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>20.959</b>
Average occurrence per patient per day (services)	2,04	
Average occurrence per patient per year (days)	1,02	
Total average occurrence	2,07	
Estimated number of patients (per year)	10.017	
Standardised usage rate (per 100 000 insured persons)	87	
Percentage of outpatient care	29,29%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	36 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	2,68	
Percentage of women (patients)	56,06%	
Ratio Preferential rate/General rate (patients)	0,54	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>7,27%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>7,25%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>7,36%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>47,35</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>45,16</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,96	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	9,71	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>7.214.309 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,63 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,9	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,91	
Average annual expenditure per patient	720,2 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Osteotomie\\_avec\\_deplacement\\_de\\_la\\_machoire\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Gastrointestinal

### Upper digestive endoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gastroenterology</i>	<b>96,82%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>432.271</b>
	Average occurrence per patient per day (services)	<b>1,00</b>
	Average occurrence per patient per year (days)	<b>1,13</b>
	Total average occurrence	<b>1,14</b>
	Estimated number of patients (per year)	<b>380.675</b>
	Standardised usage rate (per 100 000 insured persons)	<b>3.304</b>
	Percentage of outpatient care	<b>80,71%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>59 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,12</b>
Percentage of women (patients)		<b>56,44%</b>
Ratio Preferential rate/General rate (patients)		<b>1,37</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>-1,26%</b> ***
Trend <sup>3</sup> (2013-2021)		<b>-2,03%</b> ***
Trend <sup>3</sup> (2021-2023)		<b>1,88%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>18,73</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>17,86</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,39</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>1,98</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>61.086.381 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>5,3 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,35</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>1,92</b>
Average annual expenditure per patient		<b>160,47 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		Yes ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		NA NA

Link to the report: [RAPPORT-EN-Endoscopie\\_digestive\\_haute\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Lower digestive endoscopy

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Gastroenterology</i> <b>97,48%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>434.815</b>
Average occurrence per patient per day (services)	1,00
Average occurrence per patient per year (days)	1,17
Total average occurrence	1,17
Estimated number of patients (per year)	<b>372.338</b>
Standardised usage rate (per 100 000 insured persons)	3.232
Percentage of outpatient care	89,00%
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	62 years
Max/min ratio <sup>1</sup> of the median age (by district*)	1
Percentage of women (patients)	<b>51,52%</b>
Ratio Preferential rate/General rate (patients)	0,91
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>3,12%</b>
Trend <sup>3</sup> (2013-2021)	<b>2,53%</b>
Trend <sup>3</sup> (2021-2023)	<b>5,52%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>10,56</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>10,65</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,1
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,32
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>62.550.438 €</b>
Average annual expenditure per insured <sup>5</sup>	5,43 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,12
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,37
Average annual expenditure per patient	167,99 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	Yes
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-Endoscopie\\_digestive\\_basse\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Serological tests for Helicobacter pylori (blood) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>59,42%</b>
Main prescribers:	<i>General practitioners</i>	<b>74,55%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>23.091</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,01</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,04</b>
	<b>Total average occurrence</b>	<b>1,05</b>
	<b>Estimated number of patients (per year)</b>	<b>22.084</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>192</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>34 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,23</b>
	<b>Percentage of women (patients)</b>	<b>62,46%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,3</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>-1,09%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>2,67%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-14,80%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>59</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>64,43</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>5,06</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>19,47</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>198.553 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,02 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>5,01</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>19,27</b>
	<b>Average annual expenditure per patient</b>	<b>8,99 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Tests\\_serologiques\\_pour\\_Helicobacter\\_pylori\\_sang\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Pediatric gastric tubing

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Paediatrics	<b>96,80%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>91.927</b>
Average occurrence per patient per day (services)	1,30	
Average occurrence per patient per year (days)	5,07	
Total average occurrence	6,57	
Estimated number of patients (per year)	<b>13.937</b>	
Standardised usage rate (per 100 000 insured persons)	749	
Percentage of outpatient care	1,47%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	16,16%	
Median age of patients	0 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	NA	
Percentage of women (patients)	46,71%	
Ratio Preferential rate/General rate (patients)	1,25	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,61%</b>
	Trend <sup>3</sup> (2013-2021)	<b>0,50%</b>
	Trend <sup>3</sup> (2021-2023)	<b>11,52%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>29,13</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>26,96</b>
	NS	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,19	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,03	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>1.359.395 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,73 €</b>
	1,45	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,45	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,52	
	4,52	
	Average annual expenditure per patient	<b>97,54 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA
	NA	

Link to the report: [RAPPORT-EN-Tubage\\_gastrique\\_pediatrique\\_0-14\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Abdominal wall hernia surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General surgery</i>	<b>95,53%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>45.680</b>
Average occurrence per patient per day (services)	1,04	
Average occurrence per patient per year (days)	1,01	
Total average occurrence	1,06	
Estimated number of patients (per year)	<b>43.243</b>	
Standardised usage rate (per 100 000 insured persons)	375	
Percentage of outpatient care	49,79%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	60 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,12	
Percentage of women (patients)	25,06%	
Ratio Preferential rate/General rate (patients)	1,04	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,05%</b>	**
Trend <sup>3</sup> (2013-2021)	<b>-1,49%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>6,45%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>9,04</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>10,75</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,16	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,51	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>19.744.787 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,71 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,25	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,55	
Average annual expenditure per patient	456,6 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Hernie abdominale 2023.pdf](#)

## Medical practice variations – SUMMARY

Appendectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>99,53%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>14.275</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,01	
Estimated number of patients (per year)	<b>14.196</b>	
Standardised usage rate (per 100 000 insured persons)	123	
Percentage of outpatient care	3,29%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	32 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,38	
Percentage of women (patients)	47,20%	
Ratio Preferential rate/General rate (patients)	0,8	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-0,09%	NS
Trend <sup>3</sup> (2013-2021)	0,58%	NS
Trend <sup>3</sup> (2021-2023)	-2,71%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	9,7	NS
Coefficient of variation <sup>4</sup> (2021-2023)	10,99	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,27	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,57	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	8.039.852 €	
Average annual expenditure per insured <sup>5</sup>	0,7 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,32	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,84	
Average annual expenditure per patient	566,34 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Appendicetomie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Colorectal polypectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gastroenterology	<b>99,42%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>124.784</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,02	
Total average occurrence	1,02	
Estimated number of patients (per year)	<b>121.949</b>	
Standardised usage rate (per 100 000 insured persons)	<b>1.059</b>	
Percentage of outpatient care	<b>90,12%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	65 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,05</b>	
Percentage of women (patients)	<b>43,21%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,81</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>5,97%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>4,26%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>13,11%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>19,97</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>21,7</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,34</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,08</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>20.114.780 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>1,75 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,17</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,71</b>	
Average annual expenditure per patient	<b>164,94 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Polypectomie\\_colorectale\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Colectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General surgery</i>	<b>98,45%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>10.887</b>
Average occurrence per patient per day (services)		<b>1,01</b>
Average occurrence per patient per year (days)		<b>1,03</b>
Total average occurrence		<b>1,04</b>
Estimated number of patients (per year)		<b>10.451</b>
Standardised usage rate (per 100 000 insured persons)		<b>91</b>
Percentage of outpatient care		<b>0,30%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		69 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,13</b>
Percentage of women (patients)		<b>49,86%</b>
Ratio Preferential rate/General rate (patients)		<b>1,15</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-1,71%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-2,08%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-0,23%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>10,76</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>10,94</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,29</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,6</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>10.710.892 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,93 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,24</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,44</b>
	Average annual expenditure per patient	<b>1024,86 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Colectomie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Surgical management of hemorrhoids

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gastroenterology	<b>73,29%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>64.680</b>
	Average occurrence per patient per day (services)	<b>1,04</b>
	Average occurrence per patient per year (days)	<b>1,53</b>
	Total average occurrence	<b>1,60</b>
	Estimated number of patients (per year)	<b>40.572</b>
	Standardised usage rate (per 100 000 insured persons)	<b>352</b>
	Percentage of outpatient care	<b>95,87%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		55 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,16</b>
Percentage of women (patients)		<b>48,65%</b>
Ratio Preferential rate/General rate (patients)		<b>0,89</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-2,92%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-3,43%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-0,84%</b>
		NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>40,37</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>34,42</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,5</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,94</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>5.269.224 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,46 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,09</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,1</b>
	Average annual expenditure per patient	<b>129,87 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>
		***

Link to the report: [RAPPORT-EN-Chirurgie\\_des\\_hemorroïdes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Bariatric surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>99,96%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>10.969</b>
Average occurrence per patient per day (services)		1,01
Average occurrence per patient per year (days)		1,00
Total average occurrence		1,01
Estimated number of patients (per year)		<b>10.880</b>
Standardised usage rate (per 100 000 insured persons)		94
Percentage of outpatient care		0,36%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		40 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,16
Percentage of women (patients)		72,09%
Ratio Preferential rate/General rate (patients)		1,57
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-1,17% NS
	Trend <sup>3</sup> (2013-2021)	1,27% ***
	Trend <sup>3</sup> (2021-2023)	-10,33%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	24,24
	Coefficient of variation <sup>4</sup> (2021-2023)	22,03 NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		1,58
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		2,17
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	22.446.829 €
	Average annual expenditure per insured <sup>5</sup>	1,95 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		1,63
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		2,27
	Average annual expenditure per patient	2063,21 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Chirurgie\\_bariatrique\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## C. Hepatobiliary

Hepatobiliary ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>57,75%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>66.652</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,11</b>
	<b>Total average occurrence</b>	<b>1,11</b>
	<b>Estimated number of patients (per year)</b>	<b>60.110</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>522</b>
	<b>Percentage of outpatient care</b>	<b>79,43%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	58 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,15	
Percentage of women (patients)	54,35%	
Ratio Preferential rate/General rate (patients)	1,45	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-2,64% **
	Trend <sup>3</sup> (2013-2021)	-3,81% NS
	Trend <sup>3</sup> (2021-2023)	2,17%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	33,26
	Coefficient of variation <sup>4</sup> (2021-2023)	26,62 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,24
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,91
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	1.821.246 €
	Average annual expenditure per insured <sup>5</sup>	0,16 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,33
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,93
	Average annual expenditure per patient	30,3 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Echographie\\_hepatobiliaire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing lipases (blood) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>58,77%</b>
Main prescribers:	General practitioners	<b>54,14%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>2.766.499</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,41	
Total average occurrence	1,41	
Estimated number of patients (per year)	<b>1.960.572</b>	
Standardised usage rate (per 100 000 insured persons)	<b>17.018</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	57 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	55,30%	
Ratio Preferential rate/General rate (patients)	1,17	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>6,47%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>6,72%</b>	**
Trend <sup>3</sup> (2021-2023)	<b>5,48%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>34,83</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>23,63</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,46	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,81	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>2.975.539 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,26 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,51	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,94	
Average annual expenditure per patient	1,52 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Dosage\\_des\\_lipases\\_sang\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Gamma GT - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>60,19%</b>
Main prescribers:	<i>General practitioners</i>	<b>57,40%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>9.938.311</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,80	
Total average occurrence	1,81	
Estimated number of patients (per year)	<b>5.502.854</b>	
Standardised usage rate (per 100 000 insured persons)	<b>47.766</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	55,76%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,64%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>2,49%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>3,24%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>6,66</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>5,92</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,09	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,28	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>6.827.404 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,59 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,12	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,38	
Average annual expenditure per patient	1,24 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Gamma\\_GT\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Hepatic transaminase test - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>56,12%</b>
Main prescribers:	General practitioners	<b>56,00%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>10.651.571</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,84	
Total average occurrence	1,85	
Estimated number of patients (per year)	<b>5.767.006</b>	
Standardised usage rate (per 100 000 insured persons)	50.059	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	55,93%	
Ratio Preferential rate/General rate (patients)	1,03	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,30%	***
Trend <sup>3</sup> (2013-2021)	2,05%	***
Trend <sup>3</sup> (2021-2023)	3,33%	***
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	5,79	NS
Coefficient of variation <sup>4</sup> (2021-2023)	5,31	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,09	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,17	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>11.080.758 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,96 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,11	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,39	
Average annual expenditure per patient	1,92 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Dosage\\_des\\_transaminases\\_hepatiques\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Cholecystectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>99,85%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>25.980</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,01	
Estimated number of patients (per year)	<b>25.851</b>	
Standardised usage rate (per 100 000 insured persons)	224	
Percentage of outpatient care	15,86%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,18	
Percentage of women (patients)	64,06%	
Ratio Preferential rate/General rate (patients)	1,33	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,13%	*
Trend <sup>3</sup> (2013-2021)	-0,45%	NS
Trend <sup>3</sup> (2021-2023)	2,45%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	12,91	
Coefficient of variation <sup>4</sup> (2021-2023)	12,44	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,25	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,58	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	12.668.790 €	
Average annual expenditure per insured <sup>5</sup>	1,1 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,28	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,61	
Average annual expenditure per patient	490,08 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Cholecystectomie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### D. Unspecified

Digestive radiography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		<i>Radiology</i> <b>98,65%</b>
Main prescribers:		<i>General practitioners</i> <b>18,00%</b>
<b>USAGE RATE</b>		
Number of services per year		<b>194.739</b>
Average occurrence per patient per day (services)		<b>1,01</b>
Average occurrence per patient per year (days)		<b>1,25</b>
Total average occurrence		<b>1,27</b>
Estimated number of patients (per year)		<b>153.852</b>
Standardised usage rate (per 100 000 insured persons)		<b>1.335</b>
Percentage of outpatient care		<b>63,90%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>62 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,34</b>
Percentage of women (patients)		<b>57,33%</b>
Ratio Preferential rate/General rate (patients)		<b>1,55</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>-6,74%</b> ***
Trend <sup>3</sup> (2013-2021)		<b>-7,98%</b>
Trend <sup>3</sup> (2021-2023)		<b>-1,61%</b> NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>17,1</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>24,12</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,4</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>2,3</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>7.038.825 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,61 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,16</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>1,79</b>
Average annual expenditure per patient		<b>45,75 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>Yes</b> ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>Yes</b> ***

Link to the report: [RAPPORT-EN-Radiographie\\_abdomen\\_oesophage\\_inclus\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Abdominal CT scan

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>99,94%</b>
Main prescribers:	<i>General practitioners</i>	<b>20,74%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>573.042</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,24	
Total average occurrence	1,24	
Estimated number of patients (per year)	<b>461.526</b>	
Standardised usage rate (per 100 000 insured persons)	4.006	
Percentage of outpatient care	76,80%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	62 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,1	
Percentage of women (patients)	51,64%	
Ratio Preferential rate/General rate (patients)	1,45	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,51%	***
Trend <sup>3</sup> (2013-2021)	0,97%	***
Trend <sup>3</sup> (2021-2023)	3,72%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	22,65	
Coefficient of variation <sup>4</sup> (2021-2023)	20,14	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,45	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,24	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>83.594.810 €</b>	
Average annual expenditure per insured <sup>5</sup>	7,26 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,51	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,38	
Average annual expenditure per patient	181,13 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-CT-scan\\_abdomen\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## E. Global functions

Hydrogen breath test

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gastroenterology	73,59%
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>26.034</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,07	
Total average occurrence	1,08	
Estimated number of patients (per year)	24.116	
Standardised usage rate (per 100 000 insured persons)	209	
Percentage of outpatient care	98,64%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	29 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	2,44	
Percentage of women (patients)	66,69%	
Ratio Preferential rate/General rate (patients)	0,98	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	2,15% NS
	Trend <sup>3</sup> (2013-2021)	1,40% *
	Trend <sup>3</sup> (2021-2023)	5,21%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	27,58 NS
	Coefficient of variation <sup>4</sup> (2021-2023)	31,85
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,59	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,36	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	2.171.014 €
	Average annual expenditure per insured <sup>5</sup>	0,19 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,55	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,29	
Average annual expenditure per patient	90,03 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA NA

Link to the report: [RAPPORT-EN-Test\\_respiratoire\\_a\\_lhydrogene\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Urea breath test

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gastroenterology	<b>70,78%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>29.718</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,08	
Total average occurrence	1,09	
Estimated number of patients (per year)	<b>27.440</b>	
Standardised usage rate (per 100 000 insured persons)	238	
Percentage of outpatient care	98,44%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	46 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,81	
Percentage of women (patients)	60,88%	
Ratio Preferential rate/General rate (patients)	1,91	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>3,66%</b>
	Trend <sup>3</sup> (2013-2021)	<b>5,18%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-2,21%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>79,09</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	63,42
	NS	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	4,52	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	12,72	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>5.612.843 €</b>
	Average annual expenditure per insured <sup>5</sup>	0,49 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	4,5
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	12,72
	Average annual expenditure per patient	204,55 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA
		NA

Link to the report: [RAPPORT-EN-Test\\_respiratoire\\_a\\_luree\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## 6. CUTANEOUS SYSTEM

---

Allergy skin tests

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		Otorhinolaryngology 39,44%
Main prescribers:		Not applicable -
<b>USAGE RATE</b>		
Number of services per year		186.045
Average occurrence per patient per day (services)		1,09
Average occurrence per patient per year (days)		1,09
Total average occurrence		1,19
Estimated number of patients (per year)		156.855
Standardised usage rate (per 100 000 insured persons)		1.362
Percentage of outpatient care		99,52%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		29 years
Max/min ratio <sup>1</sup> of the median age (by district*)		2,24
Percentage of women (patients)		55,40%
Ratio Preferential rate/General rate (patients)		1,03
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		0,08% NS
Trend <sup>3</sup> (2013-2021)		-1,04% ***
Trend <sup>3</sup> (2021-2023)		4,69%
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		33,89
Coefficient of variation <sup>4</sup> (2021-2023)		39,4 NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		2,13
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		3,27
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		6.043.462 €
Average annual expenditure per insured <sup>5</sup>		0,52 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		1,78
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		2,82
Average annual expenditure per patient		38,53 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		Yes ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		Yes ***

Link to the report: [RAPPORT-EN-Tests\\_allergiques\\_cutanes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Dermoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Dermatology-venereology</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>42.169</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,03	
Total average occurrence	1,03	
Estimated number of patients (per year)	<b>40.944</b>	
Standardised usage rate (per 100 000 insured persons)	355	
Percentage of outpatient care	99,96%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	51 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,22	
Percentage of women (patients)	60,13%	
Ratio Preferential rate/General rate (patients)	0,29	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	<b>16,92%</b>	***
Trend <sup>3</sup> (2015-2021)	<b>15,57%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>21,05%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	<b>62,14</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>52,46</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,52	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,48	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>540.578 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,05 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,48	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,25	
Average annual expenditure per patient	13,2 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Dermoscopie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Skin biopsy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Dermatology-venereology</i>	<b>92,72%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>62.204</b>
Average occurrence per patient per day (services)	1,09	
Average occurrence per patient per year (days)	1,06	
Total average occurrence	1,16	
Estimated number of patients (per year)	<b>53.792</b>	
Standardised usage rate (per 100 000 insured persons)	467	
Percentage of outpatient care	98,22%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	65 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	56,84%	
Ratio Preferential rate/General rate (patients)	0,79	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,05%	NS
Trend <sup>3</sup> (2013-2021)	2,18%	NS
Trend <sup>3</sup> (2021-2023)	1,52%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	21,6	NS
Coefficient of variation <sup>4</sup> (2021-2023)	27,86	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,36	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,36	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	904.803 €	
Average annual expenditure per insured <sup>5</sup>	0,08 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,5	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,76	
Average annual expenditure per patient	16,82 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Biopsie\\_cutanee\\_2023.pdf](#)

## Medical practice variations – SUMMARY

UVA/UVB Phototherapy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dermatology-venereology	<b>100,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>167.517</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	17,27	
Total average occurrence	17,30	
Estimated number of patients (per year)	9.642	
Standardised usage rate (per 100 000 insured persons)	84	
Percentage of outpatient care	99,91%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	51 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,26	
Percentage of women (patients)	51,23%	
Ratio Preferential rate/General rate (patients)	0,89	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-5,31%	***
Trend <sup>3</sup> (2013-2021)	-6,99%	*
Trend <sup>3</sup> (2021-2023)	1,69%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	42,64	NS
Coefficient of variation <sup>4</sup> (2021-2023)	39,62	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,8	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,02	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	3.102.403 €	
Average annual expenditure per insured <sup>5</sup>	0,27 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,99	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,12	
Average annual expenditure per patient	321,74 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Phototherapie\\_dermatologique\\_UVA\\_et\\_UVB\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Ingrown toenail surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General practitioners	<b>32,83%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>33.149</b>
Average occurrence per patient per day (services)	<b>1,10</b>	
Average occurrence per patient per year (days)	<b>1,16</b>	
Total average occurrence	<b>1,28</b>	
Estimated number of patients (per year)	<b>25.931</b>	
Standardised usage rate (per 100 000 insured persons)	<b>225</b>	
Percentage of outpatient care	<b>98,99%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>28 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,89</b>	
Percentage of women (patients)	<b>46,73%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,14</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,71%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>0,01%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>3,58%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>24,54</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>29,32</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,47</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,87</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.475.942 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,13 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,11</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,95</b>	
Average annual expenditure per patient	<b>56,92 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>	***

Link to the report: [RAPPORT-EN-Ongle\\_incarne\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Excision of dermal vegetations

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>31,20%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>21.838</b>
Average occurrence per patient per day (services)	1,11	
Average occurrence per patient per year (days)	1,13	
Total average occurrence	1,25	
Estimated number of patients (per year)	17.809	
Standardised usage rate (per 100 000 insured persons)	155	
Percentage of outpatient care	98,46%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	48 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,41	
Percentage of women (patients)	58,23%	
Ratio Preferential rate/General rate (patients)	0,96	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,60%	NS
Trend <sup>3</sup> (2013-2021)	1,78%	NS
Trend <sup>3</sup> (2021-2023)	5,95%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	52,32	NS
Coefficient of variation <sup>4</sup> (2021-2023)	37,69	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,22	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,83	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.062.546 €	
Average annual expenditure per insured <sup>5</sup>	0,09 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,23	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,68	
Average annual expenditure per patient	59,66 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Vegetations\\_dermiques\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Skin lesion removal

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dermatology-venereology	<b>68,51%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>737.349</b>
Average occurrence per patient per day (services)	1,26	
Average occurrence per patient per year (days)	1,22	
Total average occurrence	1,53	
Estimated number of patients (per year)	<b>481.615</b>	
Standardised usage rate (per 100 000 insured persons)	4.181	
Percentage of outpatient care	98,66%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	54 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,2	
Percentage of women (patients)	57,69%	
Ratio Preferential rate/General rate (patients)	0,63	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,40%	***
Trend <sup>3</sup> (2013-2021)	1,02%	NS
Trend <sup>3</sup> (2021-2023)	2,97%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	11,57	NS
Coefficient of variation <sup>4</sup> (2021-2023)	10,99	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,14	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,59	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	41.305.157 €	
Average annual expenditure per insured <sup>5</sup>	3,59 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,26	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,7	
Average annual expenditure per patient	85,76 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Exerese\\_dermatologique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Removal of a deep foreign body

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>41,47%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>26.360</b>
	Average occurrence per patient per day (services)	<b>1,07</b>
	Average occurrence per patient per year (days)	<b>1,04</b>
	Total average occurrence	<b>1,12</b>
	Estimated number of patients (per year)	<b>23.701</b>
	Standardised usage rate (per 100 000 insured persons)	<b>206</b>
	Percentage of outpatient care	<b>81,09%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		54 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,39</b>
Percentage of women (patients)		<b>62,21%</b>
Ratio Preferential rate/General rate (patients)		<b>1,21</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,67%</b>
	Trend <sup>3</sup> (2013-2021)	<b>0,21%</b>
	Trend <sup>3</sup> (2021-2023)	<b>2,56%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>29,13</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>31,37</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,36</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,45</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>2.875.869 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,25 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,38</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>3,51</b>
	Average annual expenditure per patient	<b>121,34 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Corps\\_etranger\\_profond\\_2023.pdf](#)

## 7. URINARY SYSTEM

---

Urodynamic testing

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		<i>Urology</i> <b>98,13%</b>
Main prescribers:		<i>Not applicable</i> -
<b>USAGE RATE</b>		
Number of services per year		<b>248.087</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,34</b>
Total average occurrence		<b>1,35</b>
Estimated number of patients (per year)		<b>184.184</b>
Standardised usage rate (per 100 000 insured persons)		<b>1.599</b>
Percentage of outpatient care		<b>98,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>67 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,05</b>
Percentage of women (patients)		<b>22,04%</b>
Ratio Preferential rate/General rate (patients)		<b>1,03</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>0,12%</b> NS
Trend <sup>3</sup> (2013-2021)		<b>-0,64%</b> *
Trend <sup>3</sup> (2021-2023)		<b>3,18%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>45,74</b> NS
Coefficient of variation <sup>4</sup> (2021-2023)		<b>38,78</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,52</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>4,58</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>6.415.124 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,56 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,55</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>3,94</b>
Average annual expenditure per patient		<b>34,83 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		Yes ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		Yes ***

Link to the report: [RAPPORT-EN-Examen\\_urodynamique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Urinary tract X-Ray

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>67,36%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>17.488</b>
Average occurrence per patient per day (services)	1,02	
Average occurrence per patient per year (days)	1,22	
Total average occurrence	1,25	
Estimated number of patients (per year)	<b>14.123</b>	
Standardised usage rate (per 100 000 insured persons)	123	
Percentage of outpatient care	66,63%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	61 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,25	
Percentage of women (patients)	50,18%	
Ratio Preferential rate/General rate (patients)	1,34	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-2,08%	NS
Trend <sup>3</sup> (2013-2021)	-2,55%	*
Trend <sup>3</sup> (2021-2023)	-0,20%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	36,9	
Coefficient of variation <sup>4</sup> (2021-2023)	31	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,24	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,56	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	725.480 €	
Average annual expenditure per insured <sup>5</sup>	0,06 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,33	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,73	
Average annual expenditure per patient	51,37 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Radiographie\\_des\\_voies\\_urinaires\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Diagnostic cystoscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>98,78%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>115.049</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,26	
Total average occurrence	1,26	
Estimated number of patients (per year)	<b>91.323</b>	
Standardised usage rate (per 100 000 insured persons)	793	
Percentage of outpatient care	94,07%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,09</b>	
Percentage of women (patients)	<b>39,85%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,22</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-0,48%	NS
Trend <sup>3</sup> (2013-2021)	-1,13%	***
Trend <sup>3</sup> (2021-2023)	2,19%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>24,48</b>	
Coefficient of variation <sup>4</sup> (2021-2023)	<b>18,37</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,11</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,75</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>5.481.572 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,48 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,1</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,91</b>	
Average annual expenditure per patient	<b>60,02 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Cystoscopie\\_diagnostique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Creatinine (blood) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>60,24%</b>
Main prescribers:	General practitioners	<b>54,68%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>11.574.360</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,95	
Total average occurrence	1,97	
Estimated number of patients (per year)	<b>5.880.839</b>	
Standardised usage rate (per 100 000 insured persons)	<b>51.047</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	55,87%	
Ratio Preferential rate/General rate (patients)	1,03	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,43%	***
Trend <sup>3</sup> (2013-2021)	2,25%	**
Trend <sup>3</sup> (2021-2023)	3,15%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	5,44	NS
Coefficient of variation <sup>4</sup> (2021-2023)	5,37	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,08	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,21	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>7.023.020 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,61 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,12	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,29	
Average annual expenditure per patient	1,19 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Creatinine\\_sang\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Renal failure (care pathway by GP)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General practitioners</i>	<b>98,38%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>50.111</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>50.087</b>	
Standardised usage rate (per 100 000 insured persons)	435	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	77 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,1	
Percentage of women (patients)	47,24%	
Ratio Preferential rate/General rate (patients)	1,47	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	8,65%	***
Trend <sup>3</sup> (2013-2021)	9,00%	***
Trend <sup>3</sup> (2021-2023)	7,24%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	66,69	NS
Coefficient of variation <sup>4</sup> (2021-2023)	45,12	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,76	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	5,95	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>10.182.412 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,88 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,75	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,94	
Average annual expenditure per patient	203,29 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report:

[RAPPORT-EN-Trajet de soins de linsuffisance renale chronique Generaliste 2023.pdf](#)

## Medical practice variations – SUMMARY

Lump sums for incontinence

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Other specialities</i>	-
Main prescribers:	<i>Other specialities</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>151.260</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>151.260</b>	
Standardised usage rate (per 100 000 insured persons)	1.313	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	79 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,08	
Percentage of women (patients)	64,12%	
Ratio Preferential rate/General rate (patients)	3,32	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	7,16%	***
Trend <sup>3</sup> (2013-2021)	8,84%	***
Trend <sup>3</sup> (2021-2023)	0,67%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	40,61	NS
Coefficient of variation <sup>4</sup> (2021-2023)	43,13	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,27	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,85	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	56.281.575 €	
Average annual expenditure per insured <sup>5</sup>	4,89 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,59	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,42	
Average annual expenditure per patient	372,08 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Incontinence\\_ambulatoire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Surgical treatment of urethral stenosis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>99,26%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>15.038</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,52	
Total average occurrence	1,54	
Estimated number of patients (per year)	9.586	
Standardised usage rate (per 100 000 insured persons)	83	
Percentage of outpatient care	73,35%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	70 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	27,32%	
Ratio Preferential rate/General rate (patients)	1,24	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-4,42%	***
Trend <sup>3</sup> (2013-2021)	-5,69%	NS
Trend <sup>3</sup> (2021-2023)	0,85%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	46,5	NS
Coefficient of variation <sup>4</sup> (2021-2023)	38,64	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,48	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,31	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.493.195 €	
Average annual expenditure per insured <sup>5</sup>	0,13 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,47	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,8	
Average annual expenditure per patient	155,77 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Traitement chirurgical de la sténose urétrale 2023.pdf](#)

## Medical practice variations – SUMMARY

Extraction of urolithiasis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>99,41%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>31.998</b>
Average occurrence per patient per day (services)	1,02	
Average occurrence per patient per year (days)	1,62	
Total average occurrence	1,65	
Estimated number of patients (per year)	<b>19.445</b>	
Standardised usage rate (per 100 000 insured persons)	169	
Percentage of outpatient care	54,05%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	57 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	35,05%	
Ratio Preferential rate/General rate (patients)	1,2	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,59%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>0,79%</b>	NS
Trend <sup>3</sup> (2021-2023)	-0,19%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>18,37</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	17,83	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,17	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,96	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>18.682.194 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,62 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,32	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,21	
Average annual expenditure per patient	960,79 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Traitement de l'urolithiase 2023.pdf](#)

## Medical practice variations – SUMMARY

Chronic dialysis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		Other specialities -
Main prescribers:		Other specialities -
<b>USAGE RATE</b>		
Number of services per year		<b>1.443.626</b>
Average occurrence per patient per day (services)		<b>1,01</b>
Average occurrence per patient per year (days)		<b>127,09</b>
Total average occurrence		<b>128,91</b>
Estimated number of patients (per year)		<b>11.265</b>
Standardised usage rate (per 100 000 insured persons)		<b>98</b>
Percentage of outpatient care		<b>95,21%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>73 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,15</b>
Percentage of women (patients)		<b>38,07%</b>
Ratio Preferential rate/General rate (patients)		<b>3,26</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2017-2023)		<b>-0,25%</b> NS
Trend <sup>3</sup> (2017-2021)		<b>0,50%</b> NS
Trend <sup>3</sup> (2021-2023)		<b>-1,72%</b> NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2017-2019)		<b>26,37</b> NS
Coefficient of variation <sup>4</sup> (2021-2023)		<b>26,05</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,21</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>1,97</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>506.162.466 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>43,94 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,2</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>2,08</b>
Average annual expenditure per patient		<b>44931,75 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>Yes ***</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>Yes ***</b>

Link to the report: [RAPPORT-EN-Dialyse\\_chronique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### 8. MEN

---

PSA testing (men at risk 40 years and older)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		<i>Pharmacist biologists</i> <b>62,93%</b>
Main prescribers:		<i>General practitioners</i> <b>80,75%</b>
<b>USAGE RATE</b>		
Number of services per year		<b>226.662</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,00</b>
Total average occurrence		<b>1,00</b>
Estimated number of patients (per year)		<b>226.605</b>
Standardised usage rate (per 100 000 insured persons)		<b>7.693</b>
Percentage of outpatient care		<b>98,38%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>25,57%</b>
Median age of patients		<b>63 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,05</b>
Percentage of women (patients)		<b>0,00%</b>
Ratio Preferential rate/General rate (patients)		<b>0,95</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>8,34%</b> ***
Trend <sup>3</sup> (2013-2021)		<b>9,02%</b> *
Trend <sup>3</sup> (2021-2023)		<b>5,63%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>52,12</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>37,92</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,55</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>4,91</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>683.878 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,23 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,55</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>4,91</b>
Average annual expenditure per patient		<b>3,02 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>NA</b>

Link to the report: [RAPPORT-EN-Dosage du Hommes 40 et plus Population a risque 2023.pdf](#)

## Medical practice variations – SUMMARY

Male urogenital ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>79,38%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>503.525</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,41	
Total average occurrence	1,41	
Estimated number of patients (per year)	<b>356.803</b>	
Standardised usage rate (per 100 000 insured persons)	6.304	
Percentage of outpatient care	92,12%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	49,13%	
Median age of patients	66 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	0,00%	
Ratio Preferential rate/General rate (patients)	0,96	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,23%	**
Trend <sup>3</sup> (2013-2021)	0,37%	*
Trend <sup>3</sup> (2021-2023)	4,74%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	24,91	
Coefficient of variation <sup>4</sup> (2021-2023)	18,3	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,05	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,05	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>14.883.481 €</b>	
Average annual expenditure per insured <sup>5</sup>	2,63 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,21	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,23	
Average annual expenditure per patient	41,71 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Echographie\\_urogenitale\\_Hommes\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Prostate biopsy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>94,16%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>16.213</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,04	
Total average occurrence	1,05	
Estimated number of patients (per year)	<b>15.429</b>	
Standardised usage rate (per 100 000 insured persons)	273	
Percentage of outpatient care	96,85%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	49,13%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1	
Percentage of women (patients)	0,00%	
Ratio Preferential rate/General rate (patients)	0,76	
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>1,08%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>0,96%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>1,54%</b>
		NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>18,78</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>16,29</b>
	NS	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,17	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,34	
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>718.338 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,13 €</b>
	NS	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,18	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,38	
Average annual expenditure per patient	46,56 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Biopsie de la prostate Hommes 2023.pdf](#)

## Medical practice variations – SUMMARY

### Circumcision

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>71,82%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>25.714</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,01	
Estimated number of patients (per year)	<b>25.582</b>	
Standardised usage rate (per 100 000 insured persons)	452	
Percentage of outpatient care	96,87%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	49,13%	
Median age of patients	4 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	7,5	
Percentage of women (patients)	0,00%	
Ratio Preferential rate/General rate (patients)	1,78	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,29%	NS
Trend <sup>3</sup> (2013-2021)	0,32%	NS
Trend <sup>3</sup> (2021-2023)	0,17%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	26,48	NS
Coefficient of variation <sup>4</sup> (2021-2023)	19,54	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,43	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,34	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	2.939.595 €	
Average annual expenditure per insured <sup>5</sup>	0,52 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,43	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,38	
Average annual expenditure per patient	114,91 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Circoncision Hommes 2023.pdf](#)

## Medical practice variations – SUMMARY

Vasectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>98,84%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>37.328</b>
Average occurrence per patient per day (services)	1,98	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,99	
Estimated number of patients (per year)	<b>18.768</b>	
Standardised usage rate (per 100 000 insured persons)	332	
Percentage of outpatient care	99,30%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	49,13%	
Median age of patients	39 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,14	
Percentage of women (patients)	0,00%	
Ratio Preferential rate/General rate (patients)	0,19	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	8,35%	***
Trend <sup>3</sup> (2013-2021)	4,48%	***
Trend <sup>3</sup> (2021-2023)	25,32%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	54,21	NS
Coefficient of variation <sup>4</sup> (2021-2023)	26,18	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	3,64	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,92	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	3.276.850 €	
Average annual expenditure per insured <sup>5</sup>	0,58 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	3,61	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	4,89	
Average annual expenditure per patient	174,6 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Vasectomie\\_Hommes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Benign prostatic hyperplasia surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>99,44%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>11.504</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,02
	Total average occurrence	1,02
	Estimated number of patients (per year)	<b>11.302</b>
	Standardised usage rate (per 100 000 insured persons)	200
	Percentage of outpatient care	1,92%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>49,13%</b>
Median age of patients		72 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,04
	Percentage of women (patients)	0,00%
	Ratio Preferential rate/General rate (patients)	1,02
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-1,23% **
	Trend <sup>3</sup> (2013-2021)	-2,26% NS
	Trend <sup>3</sup> (2021-2023)	2,99%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>16,18</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>14,83</b> NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,14
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,82
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>7.230.352 €</b>
	Average annual expenditure per insured <sup>5</sup>	1,28 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,11
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,95
	Average annual expenditure per patient	639,73 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Chirurgie de l'hyperplasie benigne de la prostate Hommes 2023.pdf](#)

## 9. WOMEN AND PREGNANCY

---

### A. Breast

#### Breast imaging

		<b>TOTAL</b>
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>98,45%</b>
Main prescribers:	<i>Gynaecology and midwifery</i>	<b>44,90%</b>
<b>USAGE RATE</b>		
Number of services per year	<b>2.287.657</b>	
Average occurrence per patient per day (services)	<b>1,81</b>	
Average occurrence per patient per year (days)	<b>1,39</b>	
Total average occurrence	<b>2,51</b>	
Estimated number of patients (per year)	<b>910.968</b>	
Standardised usage rate (per 100 000 insured persons)	<b>15.544</b>	
Percentage of outpatient care	<b>99,31%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>50,87%</b>	
Median age of patients	<b>58 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,05</b>	
Percentage of women (patients)	<b>100,00%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,69</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,41%</b>	<b>NS</b>
Trend <sup>3</sup> (2013-2021)	<b>-0,11%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>2,51%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>13</b>	<b>NS</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>12,78</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,06</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,57</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>66.768.041 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>11,39 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,02</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,47</b>	
Average annual expenditure per patient	<b>73,29 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>	***

Link to the report: [RAPPORT-EN-Imagerie\\_mammaire\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Mammectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>71,35%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>18.471</b>
Average occurrence per patient per day (services)	1,09	
Average occurrence per patient per year (days)	1,06	
Total average occurrence	1,15	
Estimated number of patients (per year)	<b>16.023</b>	
Standardised usage rate (per 100 000 insured persons)	273	
Percentage of outpatient care	22,23%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	60 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	0,85	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,16%	NS
Trend <sup>3</sup> (2013-2021)	-0,10%	**
Trend <sup>3</sup> (2021-2023)	1,21%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	9,26	NS
Coefficient of variation <sup>4</sup> (2021-2023)	8,91	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,03	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,54	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>6.917.796 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,18 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,05	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,61	
Average annual expenditure per patient	431,74 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Mammectomie\\_Femmes\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Genital system

Screening smear for cervical cancer (25-64 years)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>91,03%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
Number of services per year		<b>473.512</b>
Average occurrence per patient per day (services)		1,00
Average occurrence per patient per year (days)		1,00
Total average occurrence		1,00
Estimated number of patients (per year)		<b>473.481</b>
Standardised usage rate (per 100 000 insured persons)		<b>15.954</b>
Percentage of outpatient care		99,86%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		25,76%
Median age of patients		43 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,07
Percentage of women (patients)		100,00%
Ratio Preferential rate/General rate (patients)		0,74
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,20%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>3,23%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>-1,80%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>4,29</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>5,35</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,11</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,19</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>20.648.256 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>6,96 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,12</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,24</b>	
Average annual expenditure per patient	<b>43,61 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Frottis de dépistage du cancer du col Femmes 25-64\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Female urogenital ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>91,65%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>2.008.989</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,46	
Total average occurrence	1,46	
Estimated number of patients (per year)	<b>1.374.792</b>	
Standardised usage rate (per 100 000 insured persons)	<b>23.458</b>	
Percentage of outpatient care	97,81%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	44 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	0,78	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,63%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>2,36%</b>	*
Trend <sup>3</sup> (2021-2023)	<b>3,75%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>15,66</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>14,69</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,27	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,77	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>54.602.924 €</b>	
Average annual expenditure per insured <sup>5</sup>	9,32 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,17	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,62	
Average annual expenditure per patient	39,72 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Echographie\\_urogenitale\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Hysteroscopy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>99,87%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>39.838</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,16	
Total average occurrence	1,17	
Estimated number of patients (per year)	<b>34.033</b>	
Standardised usage rate (per 100 000 insured persons)	<b>581</b>	
Percentage of outpatient care	94,27%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	45 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,33	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	0,9	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,61%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>1,50%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>2,04%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>25,8</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>19,87</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,5	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,52	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>4.930.780 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,84 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,93	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,21	
Average annual expenditure per patient	144,88 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Hysteroscopie\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Hormonal tests - Outpatient (Women)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>54,43%</b>
Main prescribers:	<i>Gynaecology and midwifery</i>	<b>49,44%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>2.175.464</b>
Average occurrence per patient per day (services)	3,09	
Average occurrence per patient per year (days)	1,83	
Total average occurrence	5,66	
Estimated number of patients (per year)	386.445	
Standardised usage rate (per 100 000 insured persons)	6.594	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	42 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,21	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	1,01	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,91%	***
Trend <sup>3</sup> (2013-2021)	2,08%	NS
Trend <sup>3</sup> (2021-2023)	1,26%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	19,38	NS
Coefficient of variation <sup>4</sup> (2021-2023)	17,69	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,39	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,78	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	7.388.950 €	
Average annual expenditure per insured <sup>5</sup>	1,26 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,26	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,62	
Average annual expenditure per patient	19,12 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Tests\\_hormonaux\\_AMBU\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Tubal interventions

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>96,83%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>11.747</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,02</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,00</b>
	<b>Total average occurrence</b>	<b>1,03</b>
	<b>Estimated number of patients (per year)</b>	<b>11.420</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>195</b>
	<b>Percentage of outpatient care</b>	<b>56,64%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>50,87%</b>
	<b>Median age of patients</b>	<b>42 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,24</b>
	<b>Percentage of women (patients)</b>	<b>100,00%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,08</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>0,75%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>-0,19%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>4,60%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>29,47</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>30,11</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,75</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>2,61</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>4.327.370 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,74 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,64</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>2,52</b>
	<b>Average annual expenditure per patient</b>	<b>378,94 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Interventions\\_tubaires\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Cervical conization

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>99,92%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>8.740</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,04</b>
	<b>Total average occurrence</b>	<b>1,04</b>
	<b>Estimated number of patients (per year)</b>	<b>8.414</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>144</b>
	<b>Percentage of outpatient care</b>	<b>97,08%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>50,87%</b>
Median age of patients		41 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,13</b>
Percentage of women (patients)		<b>100,00%</b>
Ratio Preferential rate/General rate (patients)		<b>0,96</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,90%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,12%</b>
	Trend <sup>3</sup> (2021-2023)	<b>0,02%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>38,88</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>33,52</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,9</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,23</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>550.495 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,09 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,96</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,45</b>
	Average annual expenditure per patient	<b>65,42 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Col\\_de\\_luterus\\_conisation\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Uterine curettage

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>97,94%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>15.614</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,03	
Total average occurrence	1,03	
Estimated number of patients (per year)	<b>15.123</b>	
Standardised usage rate (per 100 000 insured persons)	258	
Percentage of outpatient care	86,94%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	36 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,28	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	1,1	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-5,86%	***
Trend <sup>3</sup> (2013-2021)	-6,16%	NS
Trend <sup>3</sup> (2021-2023)	-4,64%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	26,59	NS
Coefficient of variation <sup>4</sup> (2021-2023)	36,59	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,82	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,65	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.075.670 €	
Average annual expenditure per insured <sup>5</sup>	0,18 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,79	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,56	
Average annual expenditure per patient	71,13 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Curetagé\\_uterin\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Hysterectomy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>98,71%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>10.614</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,01</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,00</b>
	<b>Total average occurrence</b>	<b>1,01</b>
	<b>Estimated number of patients (per year)</b>	<b>10.536</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>180</b>
	<b>Percentage of outpatient care</b>	<b>1,24%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>50,87%</b>
Median age of patients		50 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,13</b>
Percentage of women (patients)		<b>100,00%</b>
Ratio Preferential rate/General rate (patients)		<b>0,98</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-2,29%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-3,15%</b>
	Trend <sup>3</sup> (2021-2023)	<b>1,22%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>12,85</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>15,28</b>
	<b>NS</b>	
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,64</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>2,2</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>8.731.031 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>1,49 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,56</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>1,89</b>
	<b>Average annual expenditure per patient</b>	<b>828,68 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>
		<b>***</b>
		<b>***</b>

Link to the report: [RAPPORT-EN-Hystérectomie\\_Femmes\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## C. Pregnancy & Childbirth

### Cardiotocography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>99,65%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>312.634</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,04</b>
	<b>Average occurrence per patient per year (days)</b>	<b>3,11</b>
	<b>Total average occurrence</b>	<b>3,23</b>
	<b>Estimated number of patients (per year)</b>	<b>97.023</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>93.066</b>
	<b>Percentage of outpatient care</b>	<b>78,65%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>0,90%</b>
Median age of patients		31 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,07</b>
Percentage of women (patients)		<b>100,00%</b>
Ratio Preferential rate/General rate (patients)		<b>0,98</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,35%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-0,61%</b>
	Trend <sup>3</sup> (2021-2023)	<b>4,27%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>18,41</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>10</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,13</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,46</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>10.151.037 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>97,37 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,38</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,79</b>
	Average annual expenditure per patient	<b>104,63 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Cardiotocographie\\_Femmes accouchements\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Prenatal screening for Down syndrome (Women)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Clinical genetics	<b>54,75%</b>
Main prescribers:	Gynaecology and midwifery	<b>91,77%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>100.349</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,01	
Total average occurrence	1,01	
Estimated number of patients (per year)	<b>99.886</b>	
Standardised usage rate (per 100 000 insured persons)	<b>95.817</b>	
Percentage of outpatient care	99,82%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	0,90%	
Median age of patients	31 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,1	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	0,87	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,60%	***
Trend <sup>3</sup> (2013-2021)	1,92%	NS
Trend <sup>3</sup> (2021-2023)	0,32%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	11,25	NS
Coefficient of variation <sup>4</sup> (2021-2023)	3,39	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,06	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,26	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	25.009.873 €	
Average annual expenditure per insured <sup>5</sup>	239,92 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,06	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,27	
Average annual expenditure per patient	250,38 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Depistage\\_prenatal\\_de\\_la\\_trisomie\\_21\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Presence of pediatrician at delivery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Paediatrics	<b>97,67%</b>
Main prescribers:	Gynaecology and midwifery	<b>97,25%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>39.115</b>
	Average occurrence per patient per day (services)	<b>1,03</b>
	Average occurrence per patient per year (days)	<b>1,00</b>
	Total average occurrence	<b>1,03</b>
	Estimated number of patients (per year)	<b>37.949</b>
	Standardised usage rate (per 100 000 insured persons)	<b>35.861</b>
	Percentage of outpatient care	<b>0,59%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>0,90%</b>
Median age of patients		31 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,1</b>
Percentage of women (patients)		<b>100,00%</b>
Ratio Preferential rate/General rate (patients)		<b>1,04</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,52%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-0,15%</b>
	Trend <sup>3</sup> (2021-2023)	<b>3,27%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>16,81</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>15,13</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,13</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>2,12</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>4.198.773 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>39,69 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,11</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>2,09</b>
Average annual expenditure per patient		<b>110,64 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>NA</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>NA</b>

Link to the report: [RAPPORT-EN-Presence\\_pediatrie\\_a\\_laccouplement\\_Femmes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Caesarean section

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>99,85%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>23.219</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,00
	Total average occurrence	1,00
	Estimated number of patients (per year)	<b>23.185</b>
	Standardised usage rate (per 100 000 insured persons)	<b>22.244</b>
	Percentage of outpatient care	0,52%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>0,90%</b>
	Median age of patients	32 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,1
	Percentage of women (patients)	100,00%
	Ratio Preferential rate/General rate (patients)	1,01
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>0,40%</b>
	Trend <sup>3</sup> (2013-2021)	<b>0,21%</b>
	Trend <sup>3</sup> (2021-2023)	<b>1,17%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>8,29</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>8,03</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,16
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,4
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>9.808.117 €</b>
	Average annual expenditure per insured <sup>5</sup>	94,1 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,16
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,4
	Average annual expenditure per patient	423,03 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA

Link to the report: [RAPPORT-EN-Cesarienne\\_Femmes\\_accouchements\\_2023.pdf](#)

## 10. BLOOD AND IMMUNE SYSTEM

---

Herpes simplex virus (screening)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>48,47%</b>
Main prescribers:	<i>Specialists in training</i>	<b>24,68%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>55.773</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,42</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,10</b>
	<b>Total average occurrence</b>	<b>1,56</b>
	<b>Estimated number of patients (per year)</b>	<b>36.016</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>313</b>
	<b>Percentage of outpatient care</b>	<b>68,67%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>41 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,5</b>
	<b>Percentage of women (patients)</b>	<b>54,09%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,31</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>3,48%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>3,50%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>3,41%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>50,48</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>47,74</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>2,24</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>5,26</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>987.575 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,09 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,09</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>2,33</b>
	<b>Average annual expenditure per patient</b>	<b>27,42 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Herpes\\_simplex\\_virus\\_depistage\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Folic acid (alone) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>55,96%</b>
Main prescribers:	<i>General practitioners</i>	<b>56,20%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>196.405</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,00</b>
	<b>Total average occurrence</b>	<b>1,00</b>
	<b>Estimated number of patients (per year)</b>	<b>195.480</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>1.697</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>56 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,24</b>
	<b>Percentage of women (patients)</b>	<b>60,30%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,24</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>4,87%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>16,97%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-32,24%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>109,88</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>63,26</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>2,34</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>4,26</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>422.598 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,04 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>2,4</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>4,38</b>
	<b>Average annual expenditure per patient</b>	<b>2,16 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Acide folique seul AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing D-Dimers - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>53,10%</b>
Main prescribers:	<i>General practitioners</i>	<b>32,26%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>508.000</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,01</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,20</b>
	<b>Total average occurrence</b>	<b>1,22</b>
	<b>Estimated number of patients (per year)</b>	<b>417.906</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>3.628</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>60 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,24</b>
	<b>Percentage of women (patients)</b>	<b>56,52%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,38</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>4,15%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>6,42%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-4,47%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>25,09</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>23,85</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,07</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>2,66</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>1.747.682 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,15 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,1</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>2,65</b>
	<b>Average annual expenditure per patient</b>	<b>4,18 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>NA</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Dosage\\_des\\_D-Dimeres\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing vitamin B12 - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>64,27%</b>
Main prescribers:		<b>General practitioners</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>3.365.372</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,01	
Total average occurrence	1,01	
Estimated number of patients (per year)	3.350.599	
Standardised usage rate (per 100 000 insured persons)	29.084	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	58,58%	
Ratio Preferential rate/General rate (patients)	1	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,44%	***
Trend <sup>3</sup> (2013-2021)	1,55%	***
Trend <sup>3</sup> (2021-2023)	1,02%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	28,53	
Coefficient of variation <sup>4</sup> (2021-2023)	12,12	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,15	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,52	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	9.625.029 €	
Average annual expenditure per insured <sup>5</sup>	0,84 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,16	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,45	
Average annual expenditure per patient	2,87 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Dosage de vitamine B12 AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing vitamin D - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>62,11%</b>
Main prescribers:	General practitioners	<b>75,58%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>3.670.917</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,06	
Total average occurrence	1,06	
Estimated number of patients (per year)	<b>3.471.655</b>	
Standardised usage rate (per 100 000 insured persons)	<b>30.135</b>	
Percentage of outpatient care	<b>100,00%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	<b>58,90%</b>	
Ratio Preferential rate/General rate (patients)	1	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>3,54%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>6,83%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>-8,63%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>24,97</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>13,43</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,19	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,66	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>12.701.144 €</b>	
Average annual expenditure per insured <sup>5</sup>	1,1 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,23	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,72	
Average annual expenditure per patient	3,66 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Dosage de vitamine D AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Electrophoresis of proteins (blood) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>58,24%</b>
Main prescribers:	<i>General practitioners</i>	<b>57,33%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>1.375.041</b>
	Average occurrence per patient per day (services)	1,01
	Average occurrence per patient per year (days)	1,29
	Total average occurrence	1,30
	Estimated number of patients (per year)	<b>1.059.270</b>
	Standardised usage rate (per 100 000 insured persons)	9.195
	Percentage of outpatient care	100,00%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	61 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,05
	Percentage of women (patients)	56,28%
	Ratio Preferential rate/General rate (patients)	1,06
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-1,42% *
	Trend <sup>3</sup> (2013-2021)	-1,10% *
	Trend <sup>3</sup> (2021-2023)	-2,68%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	19,48
	Coefficient of variation <sup>4</sup> (2021-2023)	24,38 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,55
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,06
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	1.778.294 €
	Average annual expenditure per insured <sup>5</sup>	0,15 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,55
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,17
	Average annual expenditure per patient	1,68 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA NA

Link to the report: [RAPPORT-EN-Electrophorese\\_des\\_proteines\\_sang\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing ferritin and or iron - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>60,98%</b>
Main prescribers:	<i>General practitioners</i>	<b>68,09%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>12.437.395</b>
Average occurrence per patient per day (services)	1,70	
Average occurrence per patient per year (days)	1,51	
Total average occurrence	2,57	
Estimated number of patients (per year)	<b>4.845.711</b>	
Standardised usage rate (per 100 000 insured persons)	42.062	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	57,98%	
Ratio Preferential rate/General rate (patients)	1,03	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,49%	***
Trend <sup>3</sup> (2013-2021)	2,60%	NS
Trend <sup>3</sup> (2021-2023)	2,04%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	8,27	NS
Coefficient of variation <sup>4</sup> (2021-2023)	7,96	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,07	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,39	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	19.860.119 €	
Average annual expenditure per insured <sup>5</sup>	1,72 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,08	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,45	
Average annual expenditure per patient	4,1 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Dosage ferritine et ou fer AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Blood count - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>57,92%</b>
Main prescribers:	<i>General practitioners</i>	<b>53,67%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>35.707.553</b>
Average occurrence per patient per day (services)	2,92	
Average occurrence per patient per year (days)	2,01	
Total average occurrence	5,87	
Estimated number of patients (per year)	6.082.824	
Standardised usage rate (per 100 000 insured persons)	52.800	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	55 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	56,28%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,00%	***
Trend <sup>3</sup> (2013-2021)	1,67%	***
Trend <sup>3</sup> (2021-2023)	3,31%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	4,99	NS
Coefficient of variation <sup>4</sup> (2021-2023)	4,91	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,08	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,16	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	12.420.684 €	
Average annual expenditure per insured <sup>5</sup>	1,08 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,1	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,23	
Average annual expenditure per patient	2,04 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Formule\\_sanguine\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

IgE (clinical biology) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>55,03%</b>
Main prescribers:	<i>General practitioners</i>	<b>55,93%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>2.506.728</b>
Average occurrence per patient per day (services)	3,85	
Average occurrence per patient per year (days)	1,10	
Total average occurrence	4,25	
Estimated number of patients (per year)	592.907	
Standardised usage rate (per 100 000 insured persons)	5,147	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	39 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,26	
Percentage of women (patients)	57,45%	
Ratio Preferential rate/General rate (patients)	1,09	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,56%	NS
Trend <sup>3</sup> (2013-2021)	-0,01%	*
Trend <sup>3</sup> (2021-2023)	8,12%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	17,75	
Coefficient of variation <sup>4</sup> (2021-2023)	23,06	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,71	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,03	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	5.392.913 €	
Average annual expenditure per insured <sup>5</sup>	0,47 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,65	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,09	
Average annual expenditure per patient	9,1 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-IgE\\_biolgie\\_clinique\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Alkaline phosphatases - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>58,89%</b>
Main prescribers:	General practitioners	<b>48,65%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>7.086.777</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,77	
Total average occurrence	1,78	
Estimated number of patients (per year)	<b>3.981.215</b>	
Standardised usage rate (per 100 000 insured persons)	<b>34.558</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	57 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	55,58%	
Ratio Preferential rate/General rate (patients)	1,07	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,27%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>1,83%</b>	**
Trend <sup>3</sup> (2021-2023)	<b>4,06%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>11,76</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>9,36</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,02	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,47</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>4.866.432 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,42 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,04	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,54	
Average annual expenditure per patient	1,22 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Phosphatasases alcalines AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Activated partial thromboplastin time - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>48,63%</b>
Main prescribers:	<i>Acute and emergency medicine</i>	<b>19,75%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.611.905</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,36	
Total average occurrence	1,37	
Estimated number of patients (per year)	1.176.956	
Standardised usage rate (per 100 000 insured persons)	10.216	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	55 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,39	
Percentage of women (patients)	58,16%	
Ratio Preferential rate/General rate (patients)	1,4	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,92%	*
Trend <sup>3</sup> (2013-2021)	0,41%	***
Trend <sup>3</sup> (2021-2023)	8,21%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	39,07	NS
Coefficient of variation <sup>4</sup> (2021-2023)	31,66	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,43	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,07	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.394.379 €	
Average annual expenditure per insured <sup>5</sup>	0,12 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,5	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,7	
Average annual expenditure per patient	1,18 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Temps de thromboplastine partielle activee AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Transfusion monitoring

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Haematology</i>	<b>59,11%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>112.752</b>
Average occurrence per patient per day (services)	1,13	
Average occurrence per patient per year (days)	2,90	
Total average occurrence	3,28	
Estimated number of patients (per year)	<b>36.033</b>	
Standardised usage rate (per 100 000 insured persons)	313	
Percentage of outpatient care	57,27%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	72 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	52,26%	
Ratio Preferential rate/General rate (patients)	1,79	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,46%	*
Trend <sup>3</sup> (2013-2021)	-0,94%	NS
Trend <sup>3</sup> (2021-2023)	-3,53%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	21,58	NS
Coefficient of variation <sup>4</sup> (2021-2023)	29,05	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,1	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,14	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.061.288 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,09 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,23	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,27	
Average annual expenditure per patient	29,45 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Surveillance\\_transfusion\\_2023.pdf](#)

## 11. CARDIOVASCULAR SYSTEM

---

### A. Heart

Electrocardiogram (Outpatient)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>60,52%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>1.660.563</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,39</b>
	Total average occurrence	<b>1,41</b>
	Estimated number of patients (per year)	<b>1.179.939</b>
	Standardised usage rate (per 100 000 insured persons)	<b>10.242</b>
	Percentage of outpatient care	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>67 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,09</b>
Percentage of women (patients)		<b>52,28%</b>
Ratio Preferential rate/General rate (patients)		<b>1,32</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-3,57%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-4,88%</b>
	Trend <sup>3</sup> (2021-2023)	<b>1,87%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>8,3</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>20,45</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,26</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,93</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>28.952.202 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>2,51 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,4</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,86</b>
	Average annual expenditure per patient	<b>24,54 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Electro-Cardiogramme\\_AMBU\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Holter Monitor

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>98,14%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>274.942</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,14	
Total average occurrence	1,15	
Estimated number of patients (per year)	239.653	
Standardised usage rate (per 100 000 insured persons)	2.080	
Percentage of outpatient care	79,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	67 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,05	
Percentage of women (patients)	52,79%	
Ratio Preferential rate/General rate (patients)	1,15	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,72%	NS
Trend <sup>3</sup> (2013-2021)	0,83%	NS
Trend <sup>3</sup> (2021-2023)	0,30%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	24,01	NS
Coefficient of variation <sup>4</sup> (2021-2023)	21,56	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,36	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,14	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	19.923.970 €	
Average annual expenditure per insured <sup>5</sup>	1,73 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,38	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,17	
Average annual expenditure per patient	83,14 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Monitoring\\_Holter\\_ECG\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Cardiac ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>94,17%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>1.731.524</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,30
	Total average occurrence	1,30
	Estimated number of patients (per year)	<b>1.331.505</b>
	Standardised usage rate (per 100 000 insured persons)	11.558
	Percentage of outpatient care	83,41%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	67 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,13
	Percentage of women (patients)	47,74%
	Ratio Preferential rate/General rate (patients)	1,1
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,93%</b>
	Trend <sup>3</sup> (2013-2021)	1,46%
	Trend <sup>3</sup> (2021-2023)	3,83%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	16,68
	Coefficient of variation <sup>4</sup> (2021-2023)	16,23
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,23
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,75
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>115.834.035 €</b>
	Average annual expenditure per insured <sup>5</sup>	10,05 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,26
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,78
	Average annual expenditure per patient	86,99 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-Echographie\\_cardiaque\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Non-invasive cardiac stress tests

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Cardiology</i> <b>95,85%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>951.393</b>
Average occurrence per patient per day (services)	<b>1,05</b>
Average occurrence per patient per year (days)	<b>1,15</b>
Total average occurrence	<b>1,21</b>
Estimated number of patients (per year)	<b>788.715</b>
Standardised usage rate (per 100 000 insured persons)	<b>6.846</b>
Percentage of outpatient care	<b>98,62%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>64 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,13</b>
Percentage of women (patients)	<b>41,72%</b>
Ratio Preferential rate/General rate (patients)	<b>0,84</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>1,27%</b>
Trend <sup>3</sup> (2013-2021)	<b>0,47%</b>
Trend <sup>3</sup> (2021-2023)	<b>4,57%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>21,43</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>31,09</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,21</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,18</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>48.125.045 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>4,18 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,23</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,48</b>
Average annual expenditure per patient	<b>61,02 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	Yes
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-Fonction\\_cardiaque\\_sous\\_stress\\_non\\_invasif\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Coronary imaging

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Cardiology</i> <b>60,98%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
Number of services per year	<b>136.052</b>
Average occurrence per patient per day (services)	<b>1,00</b>
Average occurrence per patient per year (days)	<b>1,11</b>
Total average occurrence	<b>1,11</b>
Estimated number of patients (per year)	<b>122.296</b>
Standardised usage rate (per 100 000 insured persons)	<b>1.062</b>
Percentage of outpatient care	<b>62,02%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>66 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,1</b>
Percentage of women (patients)	<b>39,30%</b>
Ratio Preferential rate/General rate (patients)	<b>1,16</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>3,75%</b>
Trend <sup>3</sup> (2013-2021)	<b>3,80%</b>
Trend <sup>3</sup> (2021-2023)	<b>3,53%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>21,5</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>17,61</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,14</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,26</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>51.253.394 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>4,45 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,07</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,87</b>
Average annual expenditure per patient	<b>419,09 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>

Link to the report: [RAPPORT-EN-Imagerie\\_des\\_coronaires\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Coronary angiography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>95,60%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>86.801</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,07	
Total average occurrence	1,07	
Estimated number of patients (per year)	<b>81.007</b>	
Standardised usage rate (per 100 000 insured persons)	703	
Percentage of outpatient care	42,20%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	33,99%	
Ratio Preferential rate/General rate (patients)	1,28	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,12%</b>	**
Trend <sup>3</sup> (2013-2021)	<b>0,99%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>1,65%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>18,97</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>15,07</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,12	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,97	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>44.090.967 €</b>	
Average annual expenditure per insured <sup>5</sup>	3,83 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,14	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,95	
Average annual expenditure per patient	544,28 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Coronarographie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Cardiac pressure measurement by catheterization

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>96,75%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>21.089</b>
	Average occurrence per patient per day (services)	<b>1,04</b>
	Average occurrence per patient per year (days)	<b>1,09</b>
	Total average occurrence	<b>1,13</b>
	Estimated number of patients (per year)	<b>18.760</b>
	Standardised usage rate (per 100 000 insured persons)	<b>163</b>
	Percentage of outpatient care	<b>16,10%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>68 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,11</b>	
Percentage of women (patients)	<b>38,63%</b>	
Ratio Preferential rate/General rate (patients)	<b>1</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>3,73%</b>
	Trend <sup>3</sup> (2013-2021)	<b>3,92%</b>
	Trend <sup>3</sup> (2021-2023)	<b>3,01%</b>
		<b>NS</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>55,18</b>	
Coefficient of variation <sup>4</sup> (2021-2023)	<b>40,63</b>	<b>NS</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,42</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,97</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>4.942.614 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,43 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,36</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,35</b>	
Average annual expenditure per patient	<b>263,47 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	<b>***</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>	<b>***</b>

Link to the report: [RAPPORT-EN-Mesure\\_pressions\\_cardiaques\\_par\\_catheterisme\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Lipid test - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>61,96%</b>
Main prescribers:	General practitioners	<b>74,65%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>19.311.124</b>
Average occurrence per patient per day (services)	2,91	
Average occurrence per patient per year (days)	1,40	
Total average occurrence	4,08	
Estimated number of patients (per year)	<b>4.738.093</b>	
Standardised usage rate (per 100 000 insured persons)	<b>41.128</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	58 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	54,84%	
Ratio Preferential rate/General rate (patients)	1,01	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	1,75%	***
Trend <sup>3</sup> (2013-2021)	1,55%	***
Trend <sup>3</sup> (2021-2023)	2,57%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	6,01	NS
Coefficient of variation <sup>4</sup> (2021-2023)	7,09	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,07	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,32	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	13.357.782 €	
Average annual expenditure per insured <sup>5</sup>	1,16 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,04	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,38	
Average annual expenditure per patient	2,82 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Bilan\\_lipidique\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Creatine kinases (blood) - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pharmacist biologists	<b>57,23%</b>
Main prescribers:	General practitioners	<b>37,47%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>2.525.064</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,45	
Total average occurrence	1,47	
Estimated number of patients (per year)	<b>1.714.945</b>	
Standardised usage rate (per 100 000 insured persons)	<b>14.886</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	59 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,18	
Percentage of women (patients)	53,60%	
Ratio Preferential rate/General rate (patients)	1,24	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,58%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>1,18%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>3,21%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>23,35</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>20,5</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,27</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,02</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>2.184.755 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,19 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,31</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,13</b>	
Average annual expenditure per patient	<b>1,27 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Creatines kinases sang AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing Troponine T - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>53,44%</b>
Main prescribers:	<i>General practitioners</i>	<b>32,50%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>469.018</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,11</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,24</b>
	<b>Total average occurrence</b>	<b>1,37</b>
	<b>Estimated number of patients (per year)</b>	<b>342.858</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>2.976</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>63 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,14</b>
	<b>Percentage of women (patients)</b>	<b>49,48%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,35</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>5,99%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>7,17%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>1,39%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>59,37</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>44,53</b>
	<b>NS</b>	
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,61</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>8,71</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>1.413.617 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,12 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,67</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>9,5</b>
	<b>Average annual expenditure per patient</b>	<b>4,12 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>NA</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>
		<b>NA</b>

Link to the report: [RAPPORT-EN-Dosage de la troponine T AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

### Cardiac electrophysiology

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>99,57%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	Number of services per year	<b>20.351</b>
Average occurrence per patient per day (services)	1,02	
Average occurrence per patient per year (days)	1,08	
Total average occurrence	1,10	
Estimated number of patients (per year)	<b>18.457</b>	
Standardised usage rate (per 100 000 insured persons)	160	
Percentage of outpatient care	14,96%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	66 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,17	
Percentage of women (patients)	39,17%	
Ratio Preferential rate/General rate (patients)	0,76	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>3,39%</b>
	Trend <sup>3</sup> (2013-2021)	<b>2,72%</b>
	Trend <sup>3</sup> (2021-2023)	<b>6,12%</b>
		** NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>27,75</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>20,74</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,05
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,32
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>81.773.490 €</b>
	Average annual expenditure per insured <sup>5</sup>	7,1 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,04
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,33
	Average annual expenditure per patient	<b>4430,61 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes
		*** ***

Link to the report: [RAPPORT-EN-Electrophysiologie\\_cardiaque\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Pacemaker (1st implant)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Bandagogues, orthopaedists, im-</i>	<b>100,00%</b>
Main prescribers:	<i>Cardiology</i>	<b>90,76%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>9.176</b>
	Average occurrence per patient per day (services)	<b>1,00</b>
	Average occurrence per patient per year (days)	<b>1,00</b>
	Total average occurrence	<b>1,00</b>
	Estimated number of patients (per year)	<b>9.169</b>
	Standardised usage rate (per 100 000 insured persons)	<b>80</b>
	Percentage of outpatient care	<b>1,01%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>80 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,04</b>
Percentage of women (patients)		<b>40,90%</b>
Ratio Preferential rate/General rate (patients)		<b>1,08</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-1,07%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-1,36%</b>
	Trend <sup>3</sup> (2021-2023)	<b>0,07%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>13,97</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>12,6</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,28</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>1,96</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>32.897.722 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>2,86 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,28</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>1,96</b>
Average annual expenditure per patient		<b>3587,97 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Stimulateur cardiaque 1er implant 2023.pdf](#)

## Medical practice variations – SUMMARY

### Myocardial reperfusion

		<b>TOTAL</b>
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Cardiology</i>	<b>86,09%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>36.770</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,14	
Total average occurrence	1,15	
Estimated number of patients (per year)	32.008	
Standardised usage rate (per 100 000 insured persons)	278	
Percentage of outpatient care	10,89%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	24,87%	
Ratio Preferential rate/General rate (patients)	1,26	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,97%	NS
Trend <sup>3</sup> (2013-2021)	1,19%	NS
Trend <sup>3</sup> (2021-2023)	0,10%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	17,77	NS
Coefficient of variation <sup>4</sup> (2021-2023)	19,54	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,25	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,18	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	107.558.533 €	
Average annual expenditure per insured <sup>5</sup>	9,34 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,25	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,85	
Average annual expenditure per patient	3360,33 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Reperfusion\\_myocardique\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Peripheral vessels

Carotid ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>46,11%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>205.630</b>
	Average occurrence per patient per day (services)	<b>1,00</b>
	Average occurrence per patient per year (days)	<b>1,07</b>
	Total average occurrence	<b>1,07</b>
	Estimated number of patients (per year)	<b>192.423</b>
	Standardised usage rate (per 100 000 insured persons)	<b>1,670</b>
	Percentage of outpatient care	<b>80,55%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>70 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,07</b>	
Percentage of women (patients)	<b>48,78%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,21</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-0,98%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-1,84%</b>
	Trend <sup>3</sup> (2021-2023)	<b>2,51%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>25,55</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>39,37</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,03</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>4,84</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>16.406.354 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>1,42 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,11</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,83</b>
	Average annual expenditure per patient	<b>85,26 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes
		***
		***

Link to the report: [RAPPORT-EN-Echographie\\_carotidienne\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Limb venography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>82,69%</b>
Main prescribers:	<i>Specialists in training</i>	<b>21,66%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>2.065</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,05</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,15</b>
	<b>Total average occurrence</b>	<b>1,21</b>
	<b>Estimated number of patients (per year)</b>	<b>1.691</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>15</b>
	<b>Percentage of outpatient care</b>	<b>38,40%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>68 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,46</b>	
Percentage of women (patients)	<b>43,81%</b>	
Ratio Preferential rate/General rate (patients)	<b>2,3</b>	
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>0,26%</b> NS
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>2,05%</b> ***
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-6,59%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>86,69</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>99,08</b> NS
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>2,28</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>14,55</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>159.525 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,01 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>2,29</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>19,5</b>
	<b>Average annual expenditure per patient</b>	<b>94,36 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b> ***
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b> NA

Link to the report: [RAPPORT-EN-Phlebographie\\_peripherique\\_dun\\_membre\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Varicose surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>99,71%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>38.148</b>
	Average occurrence per patient per day (services)	<b>1,10</b>
	Average occurrence per patient per year (days)	<b>1,16</b>
	Total average occurrence	<b>1,27</b>
	Estimated number of patients (per year)	<b>30.054</b>
	Standardised usage rate (per 100 000 insured persons)	<b>261</b>
	Percentage of outpatient care	<b>95,28%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		55 years
		<b>1,14</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>71,51%</b>
Percentage of women (patients)		<b>0,66</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-0,64%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-3,44%</b>
	Trend <sup>3</sup> (2021-2023)	<b>11,41%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>25,28</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>25,58</b>
	NS	
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,59</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,34</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>11.945.490 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>1,04 €</b>
	1,55	
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,93</b>
	Average annual expenditure per patient	<b>397,47 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>
		***
		***

Link to the report: [RAPPORT-EN-Varices\\_2023.pdf](#)

## 12. MUSCULOSKELETAL SYSTEM

---

### A. Spine

#### Spine Imaging

		<b>TOTAL</b>
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		<i>Radiology</i> <b>98,79%</b>
Main prescribers:		<i>General practitioners</i> <b>44,56%</b>
<b>USAGE RATE</b>		
Number of services per year		<b>1.113.156</b>
Average occurrence per patient per day (services)		<b>1,07</b>
Average occurrence per patient per year (days)		<b>1,30</b>
Total average occurrence		<b>1,39</b>
Estimated number of patients (per year)		<b>800.594</b>
Standardised usage rate (per 100 000 insured persons)		<b>6.949</b>
Percentage of outpatient care		<b>93,18%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>56 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,15</b>
Percentage of women (patients)		<b>58,04%</b>
Ratio Preferential rate/General rate (patients)		<b>1,31</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>-2,05%</b> ***
Trend <sup>3</sup> (2013-2021)		<b>-2,72%</b>
Trend <sup>3</sup> (2021-2023)		<b>0,67%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>9,87</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>14,83</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,29</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>1,87</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>91.626.162 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>7,95 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,36</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>2,1</b>
Average annual expenditure per patient		<b>114,45 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>Yes</b> ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>Yes</b> ***

Link to the report: [RAPPORT-EN-Imagerie colonne vertébrale 2023.pdf](#)

## Medical practice variations – SUMMARY

### Spinal manipulation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Physical medicine	<b>99,96%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>53.129</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,71	
Total average occurrence	1,71	
Estimated number of patients (per year)	<b>31.169</b>	
Standardised usage rate (per 100 000 insured persons)	<b>271</b>	
	Percentage of outpatient care	<b>99,87%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	54 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,33</b>	
Percentage of women (patients)	<b>63,50%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,69</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>-5,98%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-5,32%</b>
	Trend <sup>3</sup> (2021-2023)	<b>-8,58%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>114,3</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>126,37</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>11,83</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>422,87</b>	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>807.878 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,07 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>14,64</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>546,34</b>	
	Average annual expenditure per patient	<b>25,92 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Manipulations\\_vertebrales\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Spine surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Neurosurgery	<b>73,67%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>38.516</b>
	Average occurrence per patient per day (services)	1,02
	Average occurrence per patient per year (days)	1,07
	Total average occurrence	1,09
	Estimated number of patients (per year)	35.485
	Standardised usage rate (per 100 000 insured persons)	308
	Percentage of outpatient care	0,83%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
	Median age of patients	59 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,13
	Percentage of women (patients)	51,95%
	Ratio Preferential rate/General rate (patients)	1,25
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	-0,18% NS
	Trend <sup>3</sup> (2013-2021)	-0,91% NS
	Trend <sup>3</sup> (2021-2023)	2,81%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	28,07 NS
	Coefficient of variation <sup>4</sup> (2021-2023)	22,7
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,76
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,37
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	34.385.503 €
	Average annual expenditure per insured <sup>5</sup>	2,98 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,63
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,15
	Average annual expenditure per patient	969,02 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Chirurgie\\_vertebrale\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## B. Upper limbs

### Rotator Cuff Surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>99,90%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>13.500</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,02</b>
	<b>Total average occurrence</b>	<b>1,02</b>
	<b>Estimated number of patients (per year)</b>	<b>13.233</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>115</b>
	<b>Percentage of outpatient care</b>	<b>44,95%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		59 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,05
Percentage of women (patients)		51,36%
Ratio Preferential rate/General rate (patients)		0,89
<b>TRENDS</b>		
	Trend <sup>2</sup> (2014-2023)	<b>-0,52%</b>
	Trend <sup>3</sup> (2014-2021)	<b>-0,88%</b>
	Trend <sup>3</sup> (2021-2023)	<b>0,76%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2014-2016)		39,33
Coefficient of variation <sup>4</sup> (2021-2023)		38,34
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		1,8
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		5,37
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		7.556.335 €
Average annual expenditure per insured <sup>5</sup>		0,66 €
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		1,7
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		5,22
Average annual expenditure per patient		571,02 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Epaule\\_coiffe\\_des\\_rotateurs\\_Rupture\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Treatment of fractures (forearm)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>55,44%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>61.641</b>
Average occurrence per patient per day (services)	1,05	
Average occurrence per patient per year (days)	1,22	
Total average occurrence	1,28	
Estimated number of patients (per year)	<b>48.159</b>	
Standardised usage rate (per 100 000 insured persons)	418	
Percentage of outpatient care	82,51%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	40 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,93	
Percentage of women (patients)	57,38%	
Ratio Preferential rate/General rate (patients)	0,94	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>4,63%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>5,27%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>2,09%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>10,8</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>12,01</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,3	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,57	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>8.938.271 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,78 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,28	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,6	
Average annual expenditure per patient	185,6 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Fracture\\_avant-bras\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Carpal tunnel

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>80,24%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>36.348</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,02</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,13</b>
	<b>Total average occurrence</b>	<b>1,15</b>
	<b>Estimated number of patients (per year)</b>	<b>31.670</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>275</b>
	<b>Percentage of outpatient care</b>	<b>97,89%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>60 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,1</b>
	<b>Percentage of women (patients)</b>	<b>62,00%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>2,34%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>1,88%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>4,17%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>19,06</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>19,34</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>2,03</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>1,86</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>7.618.783 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,66 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>2,1</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>1,84</b>
	<b>Average annual expenditure per patient</b>	<b>240,57 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>NA</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Canal\\_Carpien\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Trigger finger surgery

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>87,06%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>14.478</b>
Average occurrence per patient per day (services)		<b>1,17</b>
Average occurrence per patient per year (days)		<b>1,05</b>
Total average occurrence		<b>1,23</b>
Estimated number of patients (per year)		<b>11.801</b>
Standardised usage rate (per 100 000 insured persons)		<b>102</b>
Percentage of outpatient care		<b>98,66%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		63 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,14</b>
Percentage of women (patients)		<b>60,92%</b>
Ratio Preferential rate/General rate (patients)		<b>0,95</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>4,27%</b>	*
Trend <sup>3</sup> (2013-2021)	<b>5,22%</b>	*
Trend <sup>3</sup> (2021-2023)	<b>0,52%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>23,35</b>	
Coefficient of variation <sup>4</sup> (2021-2023)	<b>28,11</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,91</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,94</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.450.042 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,13 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,95</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,98</b>	
Average annual expenditure per patient	<b>122,88 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Chirurgie du doigt à ressaut 2023.pdf](#)

## Medical practice variations – SUMMARY

### C. Lower limbs

#### Hip prosthesis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>99,34%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>32.820</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,02</b>
	Total average occurrence	<b>1,04</b>
	Estimated number of patients (per year)	<b>31.688</b>
	Standardised usage rate (per 100 000 insured persons)	<b>275</b>
	Percentage of outpatient care	<b>0,59%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>72 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,07</b>	
Percentage of women (patients)	<b>59,14%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,99</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,09%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,21%</b>
	Trend <sup>3</sup> (2021-2023)	<b>5,68%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>11,59</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>11,59</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,43</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,45</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>29.437.781 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>2,56 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,46</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,52</b>
	Average annual expenditure per patient	<b>928,98 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-Prothese\\_de\\_hanche\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Meniscectomy ( $\geq 15$  years)

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Orthopedical surgery</i> <b>99,88%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>20.286</b>
Average occurrence per patient per day (services)	<b>1,00</b>
Average occurrence per patient per year (days)	<b>1,02</b>
Total average occurrence	<b>1,02</b>
Estimated number of patients (per year)	<b>19.910</b>
Standardised usage rate (per 100 000 insured persons)	<b>206</b>
Percentage of outpatient care	<b>92,83%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>83,84%</b>
Median age of patients	<b>51</b> years
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,2</b>
Percentage of women (patients)	<b>36,74%</b>
Ratio Preferential rate/General rate (patients)	<b>0,66</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>-6,84%</b> ***
Trend <sup>3</sup> (2013-2021)	<b>-6,96%</b> ***
Trend <sup>3</sup> (2021-2023)	<b>-6,36%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>32,02</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>31,98</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,35</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,4</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>5.954.296 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>0,62 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,34</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,07</b>
Average annual expenditure per patient	<b>299,06 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b> ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b> NA

Link to the report: [RAPPORT-EN-Menisectomie\\_15\\_et\\_plus\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Knee prosthesis

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>99,92%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>28.270</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,03</b>
	Total average occurrence	<b>1,04</b>
	Estimated number of patients (per year)	<b>27.200</b>
	Standardised usage rate (per 100 000 insured persons)	<b>236</b>
	Percentage of outpatient care	<b>0,27%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	69 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,08</b>
	Percentage of women (patients)	<b>59,17%</b>
	Ratio Preferential rate/General rate (patients)	<b>1,01</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,79%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-0,20%</b>
	Trend <sup>3</sup> (2021-2023)	<b>10,19%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>14,71</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>14,65</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,39</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,77</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>24.811.101 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>2,15 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,37</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,77</b>
	Average annual expenditure per patient	<b>912,16 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-Prothese\\_de\\_genou\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Treatment of fractures (ankle)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>56,51%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>25.258</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,03</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,20</b>
	<b>Total average occurrence</b>	<b>1,24</b>
	<b>Estimated number of patients (per year)</b>	<b>20.359</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>177</b>
	<b>Percentage of outpatient care</b>	<b>72,84%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>50 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,32</b>
	<b>Percentage of women (patients)</b>	<b>59,51%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,03</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>3,44%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>2,61%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>6,82%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>13,01</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>11,46</b>
	<b>NS</b>	
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,21</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>1,6</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>3.792.541 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,33 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,2</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>1,5</b>
	<b>Average annual expenditure per patient</b>	<b>186,28 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>
		<b>***</b>
		<b>***</b>

Link to the report: [RAPPORT-EN-Fracture\\_malleolaire\\_cheville\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Forefoot surgery (hallux)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>99,94%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>12.133</b>
Average occurrence per patient per day (services)	1,05	
Average occurrence per patient per year (days)	1,05	
Total average occurrence	1,10	
Estimated number of patients (per year)	<b>11.084</b>	
Standardised usage rate (per 100 000 insured persons)	96	
Percentage of outpatient care	36,67%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	57 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	80,05%	
Ratio Preferential rate/General rate (patients)	0,88	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>-1,02%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>-2,77%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>6,31%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>14,33</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>14,15</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,57</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,56</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>5.314.153 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,46 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,48	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,8	
Average annual expenditure per patient	479,44 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Hallux\\_valgus\\_flexus\\_varus\\_et\\_rigidus\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### D. Unspecified

#### Rheumatological evaluation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Rheumatology</i>	<b>99,50%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>97.709</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,50
	Total average occurrence	1,50
	Estimated number of patients (per year)	65.195
	Standardised usage rate (per 100 000 insured persons)	566
	Percentage of outpatient care	99,84%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
Median age of patients		61 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,14
	Percentage of women (patients)	60,06%
	Ratio Preferential rate/General rate (patients)	1,08
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	6,22% ***
	Trend <sup>3</sup> (2013-2021)	5,22% *
	Trend <sup>3</sup> (2021-2023)	10,30%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	45,52
	Coefficient of variation <sup>4</sup> (2021-2023)	38,54 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,94
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	5,29
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	7.151.652 €
	Average annual expenditure per insured <sup>5</sup>	0,62 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,02
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,67
	Average annual expenditure per patient	109,7 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	NA
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA NA

Link to the report: [RAPPORT-EN-Evaluation\\_rhumatologique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Bone densitometry ( $\geq 50$  years)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>40,74%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	Number of services per year	<b>62.048</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,00
	Total average occurrence	1,00
	Estimated number of patients (per year)	<b>62.035</b>
	Standardised usage rate (per 100 000 insured persons)	1.320
	Percentage of outpatient care	87,93%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	40,78%	
Median age of patients		69 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,12
Percentage of women (patients)		83,56%
Ratio Preferential rate/General rate (patients)		1,01
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	2,55% *
	Trend <sup>3</sup> (2013-2021)	0,35% ***
	Trend <sup>3</sup> (2021-2023)	11,82%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	32,27
	Coefficient of variation <sup>4</sup> (2021-2023)	25,98 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,47
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,27
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	2.365.223 €
	Average annual expenditure per insured <sup>5</sup>	0,5 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,47
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,28
	Average annual expenditure per patient	38,13 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Osteodensitometrie\\_50\\_et\\_plus\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Arthrography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>99,96%</b>
Main prescribers:	<i>General practitioners</i>	<b>41,11%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>492.012</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>1,16</b>
	Total average occurrence	<b>1,18</b>
	Estimated number of patients (per year)	<b>418.406</b>
	Standardised usage rate (per 100 000 insured persons)	<b>3.632</b>
	Percentage of outpatient care	<b>98,91%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	52 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,06</b>	
Percentage of women (patients)	<b>52,03%</b>	
Ratio Preferential rate/General rate (patients)	<b>0,88</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>2,83%</b>
	Trend <sup>3</sup> (2013-2021)	<b>2,24%</b>
	Trend <sup>3</sup> (2021-2023)	<b>5,23%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>17,69</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>17,58</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,06</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,51</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>33.133.896 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>2,88 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,14</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,91</b>
	Average annual expenditure per patient	<b>79,19 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>

Link to the report: [RAPPORT-EN-Arthrographie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## E. Global functions

### Electromyography

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Physical medicine</i>	<b>62,62%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>333.775</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,15</b>
	<b>Total average occurrence</b>	<b>1,15</b>
	<b>Estimated number of patients (per year)</b>	<b>289.264</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>2.511</b>
	<b>Percentage of outpatient care</b>	<b>95,07%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>57 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,13</b>
	<b>Percentage of women (patients)</b>	<b>59,18%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,4</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>-0,82%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>-1,25%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>0,93%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>25,87</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>19,78</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,29</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>1,79</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>26.116.651 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>2,27 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,2</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>1,76</b>
	<b>Average annual expenditure per patient</b>	<b>90,29 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>

Link to the report: [RAPPORT-EN-Electromyographie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## Rehabilitation plan

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Physical medicine	99,88%
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	99.574
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,05	
Total average occurrence	1,05	
Estimated number of patients (per year)	94.951	
Standardised usage rate (per 100 000 insured persons)	824	
Percentage of outpatient care	13,95%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	71 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	57,77%	
Ratio Preferential rate/General rate (patients)	1,35	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,62%	NS
Trend <sup>3</sup> (2013-2021)	1,29%	NS
Trend <sup>3</sup> (2021-2023)	8,14%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	34,37	NS
Coefficient of variation <sup>4</sup> (2021-2023)	39,23	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,73	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	6	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	6.522.485 €	
Average annual expenditure per insured <sup>5</sup>	0,57 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,64	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,99	
Average annual expenditure per patient	68,69 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Plan\\_de\\_reeducation\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### 13. ENDOCRINE SYSTEM

---

Thyroid ultrasound

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>79,32%</b>
Main prescribers:	<i>General practitioners</i>	<b>35,61%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>218.934</b>
	Average occurrence per patient per day (services)	<b>1,00</b>
	Average occurrence per patient per year (days)	<b>1,14</b>
	Total average occurrence	<b>1,14</b>
	Estimated number of patients (per year)	<b>192.847</b>
	Standardised usage rate (per 100 000 insured persons)	<b>1.674</b>
	Percentage of outpatient care	<b>95,92%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	<b>54 years</b>
	Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,13</b>
	Percentage of women (patients)	<b>72,44%</b>
	Ratio Preferential rate/General rate (patients)	<b>1,17</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,93%</b>
	Trend <sup>3</sup> (2013-2021)	<b>1,85%</b>
	Trend <sup>3</sup> (2021-2023)	<b>2,26%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>47,04</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>37,83</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,95</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,97</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>6.204.733 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,54 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,88</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,91</b>
	Average annual expenditure per patient	<b>32,17 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>

Link to the report: [RAPPORT-EN-Echographie\\_de\\_la\\_thyroide\\_2023.pdf](#)

## Medical practice variations – SUMMARY

TSH, T3, T4 dosage - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>60,71%</b>
Main prescribers:	<i>General practitioners</i>	<b>65,56%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>12.976.436</b>
Average occurrence per patient per day (services)	1,64	
Average occurrence per patient per year (days)	1,53	
Total average occurrence	2,51	
Estimated number of patients (per year)	<b>5.166.263</b>	
Standardised usage rate (per 100 000 insured persons)	44.844	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	56 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	58,17%	
Ratio Preferential rate/General rate (patients)	1,02	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,41%	***
Trend <sup>3</sup> (2013-2021)	2,49%	NS
Trend <sup>3</sup> (2021-2023)	2,09%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	7,73	NS
Coefficient of variation <sup>4</sup> (2021-2023)	5,9	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,09	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,23	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	27.911.464 €	
Average annual expenditure per insured <sup>5</sup>	2,42 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,2	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,55	
Average annual expenditure per patient	5,4 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Dosage\\_TSH\\_T3\\_T4\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing intact parathyroid hormone - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>54,23%</b>
Main prescribers:	<i>General practitioners</i>	<b>37,19%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>673.386</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,00</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,42</b>
	<b>Total average occurrence</b>	<b>1,42</b>
	<b>Estimated number of patients (per year)</b>	<b>473.150</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>4.107</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>60 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,26</b>
	<b>Percentage of women (patients)</b>	<b>61,47%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,43</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>5,44%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>6,76%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>0,31%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>54,42</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>55,04</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>2,39</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>3,93</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>2.319.284 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,2 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>2,25</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>3,8</b>
	<b>Average annual expenditure per patient</b>	<b>4,9 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>NA</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>

Link to the report: [RAPPORT-EN-Dosage de parathormone intacte AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Dosing glucose (blood)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>59,73%</b>
Main prescribers:		<b>General practitioners</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>10.048.674</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,06</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,76</b>
	<b>Total average occurrence</b>	<b>1,86</b>
	<b>Estimated number of patients (per year)</b>	<b>5.393.583</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>46.817</b>
	<b>Percentage of outpatient care</b>	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>57 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,15</b>
	<b>Percentage of women (patients)</b>	<b>55,98%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,05</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2013-2023)</b>	<b>2,04%</b>
	<b>Trend<sup>3</sup> (2013-2021)</b>	<b>1,86%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>2,75%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2013-2015)</b>	<b>6,1</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>6,8</b>
	<b>NS</b>	
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,08</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>1,28</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>4.298.899 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,37 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,06</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>1,38</b>
	<b>Average annual expenditure per patient</b>	<b>0,8 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>NA</b>
	<b>**</b>	
	<b>NA</b>	

Link to the report: [RAPPORT-EN-Dosage du glucose sang 2023.pdf](#)

## Medical practice variations – SUMMARY

Supervision of type 2 diabetes in 1st line

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General practitioners	<b>91,81%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>216.015</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,02	
Total average occurrence	1,02	
Estimated number of patients (per year)	<b>212.224</b>	
Standardised usage rate (per 100 000 insured persons)	1.842	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	68 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,13	
Percentage of women (patients)	44,72%	
Ratio Preferential rate/General rate (patients)	1,72	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	9,85%	***
Trend <sup>3</sup> (2013-2021)	9,70%	***
Trend <sup>3</sup> (2021-2023)	10,45%	***
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	45,2	NS
Coefficient of variation <sup>4</sup> (2021-2023)	27,81	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,55	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,92	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	34.204.904 €	
Average annual expenditure per insured <sup>5</sup>	2,97 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,17	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,64	
Average annual expenditure per patient	161,17 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Suivi\\_dun\\_patient\\_diabetique\\_de\\_type\\_2\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Diabetes education

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Nurses	<b>85,90%</b>
Main prescribers:	General practitioners	<b>98,29%</b>
<b>USAGE RATE</b>		
	Number of services per year	<b>96.994</b>
	Average occurrence per patient per day (services)	<b>1,64</b>
	Average occurrence per patient per year (days)	<b>2,07</b>
	Total average occurrence	<b>3,40</b>
	Estimated number of patients (per year)	<b>28.653</b>
	Standardised usage rate (per 100 000 insured persons)	<b>249</b>
	Percentage of outpatient care	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		68 years
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,14</b>
Percentage of women (patients)		<b>44,41%</b>
Ratio Preferential rate/General rate (patients)		<b>1,77</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2019-2023)	<b>6,39%</b> NS
	Trend <sup>3</sup> (2019-2021)	<b>9,36%</b> NS
	Trend <sup>3</sup> (2021-2023)	<b>3,49%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2019-2021)	<b>66,92</b> NS
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>64,62</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>6,5</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>31,57</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>2.463.409 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,21 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>6,41</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>44,48</b>
	Average annual expenditure per patient	<b>85,97 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-Education\\_diabète\\_2023.pdf](#)

# Medical practice variations – SUMMARY

## 14. INFECTIOUS DISEASES

---

Screening Chlamydia T - N gonorrhoeae - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:		<i>Pharmacist biologists</i> <b>57,29%</b>
Main prescribers:		<i>General practitioners</i> <b>45,48%</b>
<b>USAGE RATE</b>		
Number of services per year		<b>419.258</b>
Average occurrence per patient per day (services)		<b>1,03</b>
Average occurrence per patient per year (days)		<b>1,17</b>
Total average occurrence		<b>1,21</b>
Estimated number of patients (per year)		<b>347.271</b>
Standardised usage rate (per 100 000 insured persons)		<b>3.014</b>
Percentage of outpatient care		<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>31 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1</b>
Percentage of women (patients)		<b>67,56%</b>
Ratio Preferential rate/General rate (patients)		<b>1,21</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)		<b>5,97%</b> ***
Trend <sup>3</sup> (2013-2021)		<b>10,02%</b> ***
Trend <sup>3</sup> (2021-2023)		<b>-8,78%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)		<b>43,5</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>25,91</b> NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>2,03</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>2,5</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>4.262.850 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,37 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>2,04</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>2,45</b>
Average annual expenditure per patient		<b>12,28 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>Yes</b> ***
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>NA</b> NA

Link to the report: [RAPPORT-EN-Screening Chlamydia T- N gonorrhoeae AMBU 2023.pdf](#)

## Medical practice variations – SUMMARY

Testing for HIV antibodies - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>53,35%</b>
Main prescribers:	<i>General practitioners</i>	<b>46,84%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>694.749</b>
Average occurrence per patient per day (services)		<b>1,00</b>
Average occurrence per patient per year (days)		<b>1,19</b>
Total average occurrence		<b>1,19</b>
Estimated number of patients (per year)		<b>581.568</b>
Standardised usage rate (per 100 000 insured persons)		<b>5.048</b>
Percentage of outpatient care		<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>34 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,13</b>
Percentage of women (patients)		<b>58,95%</b>
Ratio Preferential rate/General rate (patients)		<b>1,21</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>0,51%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>-0,20%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>3,37%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>26,84</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>31,2</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,41</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,44</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.493.139 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,13 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,44</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,38</b>	
Average annual expenditure per patient	<b>2,57 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Recherche\\_des\\_anticorps\\_HIV\\_AMBU\\_2023.pdf](#)

## 15. CROSS-SYSTEM SERVICES

---

Patient file's global management

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General practitioners</i>	<b>93,80%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>9.744.220</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,01	
Estimated number of patients (per year)	<b>9.694.392</b>	
Standardised usage rate (per 100 000 insured persons)	<b>84.149</b>	
Percentage of outpatient care	<b>100,00%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	44 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,09	
Percentage of women (patients)	52,22%	
Ratio Preferential rate/General rate (patients)	0,91	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	4,28%	***
Trend <sup>3</sup> (2013-2021)	5,23%	**
Trend <sup>3</sup> (2021-2023)	0,55%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	23,14	NS
Coefficient of variation <sup>4</sup> (2021-2023)	6,79	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,21	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,16	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	378.855.167 €	
Average annual expenditure per insured <sup>5</sup>	32,89 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,19	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,16	
Average annual expenditure per patient	39,08 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	

Link to the report: [RAPPORT-EN-Dossier\\_global\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Consultations and visits in general practice

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General practitioners	<b>99,31%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>50.710.726</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	5,35	
Total average occurrence	5,37	
Estimated number of patients (per year)	<b>9.463.300</b>	
Standardised usage rate (per 100 000 insured persons)	<b>82.143</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	45 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,12	
Percentage of women (patients)	52,84%	
Ratio Preferential rate/General rate (patients)	0,89	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,63%	***
Trend <sup>3</sup> (2013-2021)	-0,30%	**
Trend <sup>3</sup> (2021-2023)	4,44%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	9,98	NS
Coefficient of variation <sup>4</sup> (2021-2023)	9,58	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,31	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,4	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.434.148.631 €</b>	
Average annual expenditure per insured <sup>5</sup>	124,49 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,68	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,62	
Average annual expenditure per patient	151,55 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Consultations et visites en medecine generale 2023.pdf](#)

## Medical practice variations – SUMMARY

Contacts in general medicine

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General practitioners</i>	<b>98,08%</b>
Main prescribers:		<i>Not applicable</i>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>60.464.613</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	6,26	
Total average occurrence	6,29	
Estimated number of patients (per year)	9.534.651	
Standardised usage rate (per 100 000 insured persons)	82.763	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	46 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	52,84%	
Ratio Preferential rate/General rate (patients)	0,9	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	2,32%	***
Trend <sup>3</sup> (2013-2021)	2,65%	*
Trend <sup>3</sup> (2021-2023)	1,05%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	9,8	
Coefficient of variation <sup>4</sup> (2021-2023)	8,49	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,3	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,35	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.507.466.416 €	
Average annual expenditure per insured <sup>5</sup>	130,85 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,68	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,56	
Average annual expenditure per patient	158,1 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Contacts\\_en\\_medicine\\_generale\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Outpatient pediatric consultation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Paediatrics	<b>98,72%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>2.050.601</b>
	Average occurrence per patient per day (services)	<b>1,01</b>
	Average occurrence per patient per year (days)	<b>3,01</b>
	Total average occurrence	<b>3,03</b>
	Estimated number of patients (per year)	<b>685.976</b>
	Standardised usage rate (per 100 000 insured persons)	<b>5.954</b>
	Percentage of outpatient care	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	Median age of patients	4 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,67</b>
	Percentage of women (patients)	<b>48,44%</b>
	Ratio Preferential rate/General rate (patients)	<b>0,85</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2013-2023)	<b>1,23%</b>
	Trend <sup>3</sup> (2013-2021)	<b>-0,29%</b>
	Trend <sup>3</sup> (2021-2023)	<b>7,53%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2013-2015)	<b>19,05</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>19,31</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,31</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,35</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>72.486.201 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>6,29 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,37</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>3,15</b>
	Average annual expenditure per patient	<b>105,67 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>

Link to the report: [RAPPORT-EN-Consultation\\_pediatrique\\_ambulatoire\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Outpatient multidisciplinary geriatric evaluation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Geriatrics</i>	<b>100,00%</b>
Main prescribers:		<b>General practitioners</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>36.534</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,19	
Total average occurrence	1,20	
Estimated number of patients (per year)	<b>30.534</b>	
Standardised usage rate (per 100 000 insured persons)	2.579	
	Percentage of outpatient care	<b>100,00%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	10,28%	
Median age of patients	85 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,02	
Percentage of women (patients)	65,94%	
Ratio Preferential rate/General rate (patients)	1,23	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	11,58%	***
Trend <sup>3</sup> (2013-2021)	9,42%	NS
Trend <sup>3</sup> (2021-2023)	20,66%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	68,24	NS
Coefficient of variation <sup>4</sup> (2021-2023)	62,94	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,18	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	8,89	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	4.321.127 €	
Average annual expenditure per insured <sup>5</sup>	3,65 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,22	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	8,57	
Average annual expenditure per patient	141,52 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Evaluation geriatrique pluridisciplinaire AMBU 75 et plus 2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Medical oncology</i>	<b>20,18%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>849.837</b>
Average occurrence per patient per day (services)	4,60	
Average occurrence per patient per year (days)	1,43	
Total average occurrence	6,55	
Estimated number of patients (per year)	130.051	
Standardised usage rate (per 100 000 insured persons)	1.129	
Percentage of outpatient care	90,10%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	48,71%	
Ratio Preferential rate/General rate (patients)	1,15	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	3,34%	***
Trend <sup>3</sup> (2013-2021)	3,35%	NS
Trend <sup>3</sup> (2021-2023)	3,28%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	12,15	NS
Coefficient of variation <sup>4</sup> (2021-2023)	10,04	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,07	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,67	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	35.358.965 €	
Average annual expenditure per insured <sup>5</sup>	3,07 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,12	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,9	
Average annual expenditure per patient	271,89 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Consultation\\_oncologique\\_multidisciplinaire\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation - 1st meeting

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Medical oncology	<b>59,89%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>93.451</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,05	
Total average occurrence	1,05	
Estimated number of patients (per year)	<b>89.277</b>	
Standardised usage rate (per 100 000 insured persons)	<b>775</b>	
Percentage of outpatient care	<b>89,82%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,07</b>	
Percentage of women (patients)	<b>49,37%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,06</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,86%</b>	***
Trend <sup>3</sup> (2013-2021)	<b>1,78%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>2,19%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>8,15</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>8,23</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,12</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>1,45</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>10.040.414 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,87 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,12</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>1,42</b>	
Average annual expenditure per patient	<b>112,46 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-Consultation\\_ oncologique\\_ multidisciplinaire\\_ Premiere\\_ 2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation - Patient information

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>23,36%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>33.394</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,06	
Total average occurrence	1,06	
Estimated number of patients (per year)	<b>31.375</b>	
Standardised usage rate (per 100 000 insured persons)	272	
Percentage of outpatient care	92,41%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	50,30%	
Ratio Preferential rate/General rate (patients)	1,05	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>2,47%</b>	NS
Trend <sup>3</sup> (2013-2021)	<b>2,12%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>3,88%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>33,02</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	32,74	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,13	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,82	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>2.250.665 €</b>	
Average annual expenditure per insured <sup>5</sup>	0,2 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,05	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,81	
Average annual expenditure per patient	71,73 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Consultation\\_ oncologique multidisciplinaire Avec\\_patient\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Dermatologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Dermatology-venereology	<b>100,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>9,748</b>
Average occurrence per patient per day (services)	1,04	
Average occurrence per patient per year (days)	1,11	
Total average occurrence	1,15	
Estimated number of patients (per year)	8,466	
Standardised usage rate (per 100 000 insured persons)	73	
	<b>Percentage of outpatient care</b>	<b>97,87%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	73 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,19	
Percentage of women (patients)	47,98%	
Ratio Preferential rate/General rate (patients)	0,73	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	<b>9,71%</b>
	Trend <sup>3</sup> (2015-2021)	<b>10,98%</b>
	Trend <sup>3</sup> (2021-2023)	5,98%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	<b>45,79</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	38,4
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,32	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,1	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>299.807 €</b>
	Average annual expenditure per insured <sup>5</sup>	0,03 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,56
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,46
	Average annual expenditure per patient	35,41 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes

Link to the report: [RAPPORT-EN-MOC\\_Dermatologie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Endocrinologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Endocrinology-diabetology</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.348</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,20</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,10</b>
	<b>Total average occurrence</b>	<b>1,33</b>
	<b>Estimated number of patients (per year)</b>	<b>1.035</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>9</b>
	<b>Percentage of outpatient care</b>	<b>94,88%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>58 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,56</b>
	<b>Percentage of women (patients)</b>	<b>62,40%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,29</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2015-2023)</b>	<b>5,76%</b>
	<b>Trend<sup>3</sup> (2015-2021)</b>	<b>6,72%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>2,93%</b>
		*
		NS
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2015-2017)</b>	<b>72,04</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>58,98</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,5</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>18,56</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>55.535 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>2,09</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>17,02</b>
	<b>Average annual expenditure per patient</b>	<b>53,66 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>
		***
		***

Link to the report: [RAPPORT-EN-MOC\\_Endocrinologie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (ENT)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Otorhinolaryngology	<b>100,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>6.278</b>
Average occurrence per patient per day (services)	1,05	
Average occurrence per patient per year (days)	1,27	
Total average occurrence	1,33	
Estimated number of patients (per year)	4.705	
Standardised usage rate (per 100 000 insured persons)	41	
Percentage of outpatient care	90,24%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	66 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	35,44%	
Ratio Preferential rate/General rate (patients)	1,79	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	0,76%	NS
Trend <sup>3</sup> (2015-2021)	0,88%	NS
Trend <sup>3</sup> (2021-2023)	0,40%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	37,87	NS
Coefficient of variation <sup>4</sup> (2021-2023)	27,55	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,02	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	3,37	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	233.943 €	
Average annual expenditure per insured <sup>5</sup>	0,02 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,5	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	5,87	
Average annual expenditure per patient	49,72 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-MOC\\_ORL\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Gastroenterologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gastroenterology</i>	<b>100,00%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>32.923</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,13</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,24</b>
	<b>Total average occurrence</b>	<b>1,40</b>
	<b>Estimated number of patients (per year)</b>	<b>23.708</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>206</b>
	<b>Percentage of outpatient care</b>	<b>84,89%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>71 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,04</b>
Percentage of women (patients)		<b>41,79%</b>
Ratio Preferential rate/General rate (patients)		<b>1,24</b>
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)		<b>0,62%</b>
Trend <sup>3</sup> (2015-2021)		<b>0,67%</b>
Trend <sup>3</sup> (2021-2023)		<b>0,49%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)		<b>26,69</b>
Coefficient of variation <sup>4</sup> (2021-2023)		<b>17,98</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)		<b>1,13</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)		<b>2,35</b>
<b>DIRECT EXPENDITURE</b>		
Annual expenditure		<b>1.526.385 €</b>
Average annual expenditure per insured <sup>5</sup>		<b>0,13 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)		<b>1,07</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)		<b>3,57</b>
Average annual expenditure per patient		<b>64,38 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)		<b>Yes</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)		<b>Yes</b>
		<b>***</b>

Link to the report: [RAPPORT-EN-MOC\\_Gastroenterologie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Geriatricians)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Geriatrics</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
Number of services per year	1.491	
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,04	
Total average occurrence	1,04	
Estimated number of patients (per year)	1.435	
Standardised usage rate (per 100 000 insured persons)	12	
Percentage of outpatient care	82,70%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	75 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,98	
Percentage of women (patients)	45,13%	
Ratio Preferential rate/General rate (patients)	1,24	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	-3,51%	NS
Trend <sup>3</sup> (2015-2021)	-4,67%	NS
Trend <sup>3</sup> (2021-2023)	0,05%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	147,96	NS
Coefficient of variation <sup>4</sup> (2021-2023)	125,36	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	5,8	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	NA	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	36.585 €	
Average annual expenditure per insured <sup>5</sup>	0 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	4,59	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	NA	
Average annual expenditure per patient	25,5 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-MOC\\_Geriatrie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (GPs)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General practitioners	<b>100,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.980</b>
Average occurrence per patient per day (services)	<b>1,00</b>	
Average occurrence per patient per year (days)	<b>1,07</b>	
Total average occurrence	<b>1,07</b>	
Estimated number of patients (per year)	<b>1.856</b>	
Standardised usage rate (per 100 000 insured persons)	<b>16</b>	
Percentage of outpatient care	<b>91,06%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>70 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,28</b>	
Percentage of women (patients)	<b>54,09%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,25</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	<b>-6,79%</b>	***
Trend <sup>3</sup> (2015-2021)	<b>-16,17%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>28,12%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	<b>113,8</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>129,74</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>16,13</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>NA</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>66.522 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,01 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>16,04</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>NA</b>	
Average annual expenditure per patient	<b>35,85 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b>	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b>	NA

Link to the report: [RAPPORT-EN-MOC\\_Medecine generale\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Gynaecologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Gynaecology and midwifery</i>	<b>100,00%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>35.290</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,08</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,25</b>
	<b>Total average occurrence</b>	<b>1,34</b>
	<b>Estimated number of patients (per year)</b>	<b>26.330</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>229</b>
	<b>Percentage of outpatient care</b>	<b>94,48%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>63 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,12</b>
	<b>Percentage of women (patients)</b>	<b>97,46%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,05</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2015-2023)</b>	<b>2,77%</b>
	<b>Trend<sup>3</sup> (2015-2021)</b>	<b>2,51%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>3,54%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2015-2017)</b>	<b>25,01</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>18,36</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,26</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>3,26</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>1.266.471 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,11 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,37</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>4,73</b>
	<b>Average annual expenditure per patient</b>	<b>48,1 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	Yes
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	Yes

Link to the report: [RAPPORT-EN-MOC\\_Gyn-obs\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Hematologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Haematology</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>27.084</b>
Average occurrence per patient per day (services)	1,34	
Average occurrence per patient per year (days)	1,14	
Total average occurrence	1,53	
Estimated number of patients (per year)	17.896	
Standardised usage rate (per 100 000 insured persons)	155	
Percentage of outpatient care	86,58%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	71 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,1	
Percentage of women (patients)	43,00%	
Ratio Preferential rate/General rate (patients)	1,15	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	1,22% NS
	Trend <sup>3</sup> (2015-2021)	0,66% NS
	Trend <sup>3</sup> (2021-2023)	2,92%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	45,91 NS
	Coefficient of variation <sup>4</sup> (2021-2023)	46,61
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,36	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,19	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	1.981.993 €
	Average annual expenditure per insured <sup>5</sup>	0,17 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,28
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	3,5
	Average annual expenditure per patient	110,75 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-MOC\\_Hematologie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Neurosurgeons)

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	<i>Neurosurgery</i> <b>100,00%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
Number of services per year	<b>5.752</b>
Average occurrence per patient per day (services)	<b>1,05</b>
Average occurrence per patient per year (days)	<b>1,19</b>
Total average occurrence	<b>1,25</b>
Estimated number of patients (per year)	<b>4.593</b>
Standardised usage rate (per 100 000 insured persons)	<b>40</b>
Percentage of outpatient care	<b>81,90%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>100,00%</b>
Median age of patients	<b>60 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,26</b>
Percentage of women (patients)	<b>52,44%</b>
Ratio Preferential rate/General rate (patients)	<b>1,41</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2015-2023)	<b>2,87%</b>
Trend <sup>3</sup> (2015-2021)	<b>2,04%</b>
Trend <sup>3</sup> (2021-2023)	<b>5,39%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2015-2017)	<b>19,76</b>
Coefficient of variation <sup>4</sup> (2021-2023)	<b>25,81</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,11</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,83</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>183.036 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>0,02 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,23</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,86</b>
Average annual expenditure per patient	<b>39,85 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>

Link to the report: [RAPPORT-EN-MOC\\_Neurochirurgie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Oncologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Medical oncology</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>166.816</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,24</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,25</b>
	<b>Total average occurrence</b>	<b>1,55</b>
	<b>Estimated number of patients (per year)</b>	<b>107.899</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>937</b>
	<b>Percentage of outpatient care</b>	<b>90,81%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>69 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,04</b>
	<b>Percentage of women (patients)</b>	<b>49,59%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>1,15</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2015-2023)</b>	<b>3,01%</b>
	<b>Trend<sup>3</sup> (2015-2021)</b>	<b>2,89%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>3,35%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2015-2017)</b>	<b>22,3</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>21,21</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,08</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>1,93</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>13.094.777 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>1,14 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,12</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>2,89</b>
	<b>Average annual expenditure per patient</b>	<b>121,36 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>

Link to the report: [RAPPORT-EN-MOC\\_Oncologie\\_medicale\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Orthopaedists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Orthopedical surgery</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.685</b>
Average occurrence per patient per day (services)	<b>1,13</b>	
Average occurrence per patient per year (days)	<b>1,26</b>	
Total average occurrence	<b>1,42</b>	
Estimated number of patients (per year)	<b>1.213</b>	
Standardised usage rate (per 100 000 insured persons)	<b>11</b>	
Percentage of outpatient care	<b>86,71%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>60 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,5</b>	
Percentage of women (patients)	<b>47,44%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,44</b>	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	<b>15,44%</b>
	Trend <sup>3</sup> (2015-2021)	<b>17,89%</b>
	Trend <sup>3</sup> (2021-2023)	<b>8,39%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	<b>48,17</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>34,06</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,33</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>4,53</b>	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>67.399 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,01 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>2,03</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>5,97</b>	
Average annual expenditure per patient	<b>55,55 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes
		***
		NS

Link to the report: [RAPPORT-EN-MOC Chir\\_Orthopedique\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Plastic surgeons)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Plastical surgery</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>7.205</b>
	<b>Average occurrence per patient per day (services)</b>	<b>1,01</b>
	<b>Average occurrence per patient per year (days)</b>	<b>1,07</b>
	<b>Total average occurrence</b>	<b>1,08</b>
	<b>Estimated number of patients (per year)</b>	<b>6.654</b>
	<b>Standardised usage rate (per 100 000 insured persons)</b>	<b>58</b>
	<b>Percentage of outpatient care</b>	<b>97,34%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
	<b>Median age of patients</b>	<b>72 years</b>
	<b>Max/min ratio<sup>1</sup> of the median age (by district*)</b>	<b>1,2</b>
	<b>Percentage of women (patients)</b>	<b>57,05%</b>
	<b>Ratio Preferential rate/General rate (patients)</b>	<b>0,74</b>
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2015-2023)</b>	<b>6,24%</b>
	<b>Trend<sup>3</sup> (2015-2021)</b>	<b>9,87%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>-3,96%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2015-2017)</b>	<b>75,58</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>57,82</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by region)</b>	<b>1,42</b>
	<b>Max/min Ratio<sup>1</sup> of usage rate (per 100 000 insured persons, by district*)</b>	<b>19,36</b>
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>178.449 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>0,02 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,59</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>23,54</b>
	<b>Average annual expenditure per patient</b>	<b>26,82 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>

Link to the report: [RAPPORT-EN-MOC Chir plastique 2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Pneumologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Pneumology	<b>100,00%</b>
Main prescribers:		-
<b>USAGE RATE</b>		
	Number of services per year	<b>24.458</b>
	Average occurrence per patient per day (services)	<b>1,31</b>
	Average occurrence per patient per year (days)	<b>1,25</b>
	Total average occurrence	<b>1,64</b>
	Estimated number of patients (per year)	<b>15.011</b>
	Standardised usage rate (per 100 000 insured persons)	<b>130</b>
	Percentage of outpatient care	<b>83,95%</b>
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		<b>70 years</b>
Max/min ratio <sup>1</sup> of the median age (by district*)		<b>1,09</b>
Percentage of women (patients)		<b>41,34%</b>
Ratio Preferential rate/General rate (patients)		<b>1,72</b>
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	<b>0,88%</b>
	Trend <sup>3</sup> (2015-2021)	<b>0,12%</b>
	Trend <sup>3</sup> (2021-2023)	<b>3,18%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	<b>31,97</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>29,71</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,36</b>
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,12</b>
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>1.255.651 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,11 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,43</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>4,42</b>
	Average annual expenditure per patient	<b>83,65 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>
		***
		***

Link to the report: [RAPPORT-EN-MOC\\_Pneumologie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Radiotherapists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiotherapy</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>128.416</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,25	
Total average occurrence	1,27	
Estimated number of patients (per year)	<b>101.715</b>	
Standardised usage rate (per 100 000 insured persons)	883	
Percentage of outpatient care	90,17%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	47,98%	
Ratio Preferential rate/General rate (patients)	1,16	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	2,72%	***
Trend <sup>3</sup> (2015-2021)	2,63%	NS
Trend <sup>3</sup> (2021-2023)	2,98%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	16,41	NS
Coefficient of variation <sup>4</sup> (2021-2023)	17,08	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,21	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,06	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	3.277.135 €	
Average annual expenditure per insured <sup>5</sup>	0,28 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,39	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,58	
Average annual expenditure per patient	32,22 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-MOC Radiotherapie 2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Radiologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiology</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>83.541</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,19	
Total average occurrence	1,19	
Estimated number of patients (per year)	<b>70.404</b>	
Standardised usage rate (per 100 000 insured persons)	<b>611</b>	
Percentage of outpatient care	90,07%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,09	
Percentage of women (patients)	51,06%	
Ratio Preferential rate/General rate (patients)	1,19	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	<b>4,22%</b>	***
Trend <sup>3</sup> (2015-2021)	<b>4,95%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>2,06%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	<b>29,26</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>24,83</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,26</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>3,77</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>1.907.062 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,17 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,25</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>3,82</b>	
Average annual expenditure per patient	<b>27,09 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	NS
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-MOC Radiologie 2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Stomatologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Stomatologists</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
Number of services per year	<b>3.696</b>	
Average occurrence per patient per day (services)	<b>1,00</b>	
Average occurrence per patient per year (days)	<b>1,26</b>	
Total average occurrence	<b>1,27</b>	
Estimated number of patients (per year)	<b>2.922</b>	
Standardised usage rate (per 100 000 insured persons)	<b>25</b>	
Percentage of outpatient care	<b>90,40%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	<b>67 years</b>	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,24</b>	
Percentage of women (patients)	<b>36,24%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,65</b>	
<b>TRENDS</b>		
Trend <sup>2</sup> (2015-2023)	<b>3,23%</b>	NS
Trend <sup>3</sup> (2015-2021)	<b>4,15%</b>	NS
Trend <sup>3</sup> (2021-2023)	<b>0,54%</b>	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2015-2017)	<b>52,79</b>	NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>74,55</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>2,15</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>14,3</b>	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>99.271 €</b>	
Average annual expenditure per insured <sup>5</sup>	<b>0,01 €</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>3,05</b>	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>17,67</b>	
Average annual expenditure per patient	<b>33,97 €</b>	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>	NS

Link to the report: [RAPPORT-EN-MOC\\_Stomatologues\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Surgeons)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	General surgery	<b>100,00%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>53.981</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,24	
Total average occurrence	1,26	
Estimated number of patients (per year)	42.980	
Standardised usage rate (per 100 000 insured persons)	373	
Percentage of outpatient care	87,64%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	70 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	51,89%	
Ratio Preferential rate/General rate (patients)	1,25	
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	<b>0,85%</b>
	Trend <sup>3</sup> (2015-2021)	<b>0,85%</b>
	Trend <sup>3</sup> (2021-2023)	<b>0,82%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	<b>23,94</b>
	Coefficient of variation <sup>4</sup> (2021-2023)	<b>26,86</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,21	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,9	
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	<b>1.421.880 €</b>
	Average annual expenditure per insured <sup>5</sup>	<b>0,12 €</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,16</b>
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>3,58</b>
	Average annual expenditure per patient	<b>33,08 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	<b>Yes</b>
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>Yes</b>
		***
		***

Link to the report: [RAPPORT-EN-MOC\\_Chirurgie\\_2023.pdf](#)

# Medical practice variations – SUMMARY

Multidisciplinary Oncology Consultation (Urologists)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Urology</i>	<b>100,00%</b>
Main prescribers:		Not applicable
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>40.174</b>
	Average occurrence per patient per day (services)	1,25
	Average occurrence per patient per year (days)	1,16
	Total average occurrence	1,45
	Estimated number of patients (per year)	27.879
	Standardised usage rate (per 100 000 insured persons)	242
	Percentage of outpatient care	95,14%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		100,00%
	Median age of patients	72 years
	Max/min ratio <sup>1</sup> of the median age (by district*)	1,06
	Percentage of women (patients)	10,88%
	Ratio Preferential rate/General rate (patients)	0,95
<b>TRENDS</b>		
	Trend <sup>2</sup> (2015-2023)	2,27% ***
	Trend <sup>3</sup> (2015-2021)	2,67% NS
	Trend <sup>3</sup> (2021-2023)	1,08%
<b>GEOGRAPHICAL VARIATIONS</b>		
	Coefficient of variation <sup>4</sup> (2015-2017)	23,64
	Coefficient of variation <sup>4</sup> (2021-2023)	22,12 NS
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,5
	Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,87
<b>DIRECT EXPENDITURE</b>		
	Annual expenditure	1.658.332 €
	Average annual expenditure per insured <sup>5</sup>	0,14 €
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,38
	Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	7,23
	Average annual expenditure per patient	59,48 €
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	Variations in practice coding <sup>6</sup> (by province)	Yes ***
	Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes ***

Link to the report: [RAPPORT-EN-MOC\\_Urologie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Admission to emergency room

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Acute and emergency medicine	<b>49,10%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	Number of services per year	<b>3.127.472</b>
Average occurrence per patient per day (services)	1,01	
Average occurrence per patient per year (days)	1,41	
Total average occurrence	1,43	
Estimated number of patients (per year)	<b>2.187.852</b>	
Standardised usage rate (per 100 000 insured persons)	<b>18.991</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	40 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,42	
Percentage of women (patients)	50,19%	
Ratio Preferential rate/General rate (patients)	1,4	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	<b>1,70%</b>	**
Trend <sup>3</sup> (2013-2021)	<b>0,15%</b>	***
Trend <sup>3</sup> (2021-2023)	<b>8,13%</b>	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	<b>21,04</b>	
Coefficient of variation <sup>4</sup> (2021-2023)	<b>17,13</b>	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,33	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,8	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>99.312.336 €</b>	
Average annual expenditure per insured <sup>5</sup>	8,62 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,35	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,28	
Average annual expenditure per patient	45,39 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Admission\\_aux\\_urgences\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Hospital stays (based on imaging package)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Unknown</i>	<b>100,00%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.727.484</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,39	
Total average occurrence	1,39	
Estimated number of patients (per year)	<b>1.239.051</b>	
Standardised usage rate (per 100 000 insured persons)	<b>10.755</b>	
Percentage of outpatient care	0,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	58 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,11	
Percentage of women (patients)	55,44%	
Ratio Preferential rate/General rate (patients)	1,36	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,02%	***
Trend <sup>3</sup> (2013-2021)	-1,87%	NS
Trend <sup>3</sup> (2021-2023)	2,46%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	6,53	NS
Coefficient of variation <sup>4</sup> (2021-2023)	7,6	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,18	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,33	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	<b>110.929.431 €</b>	
Average annual expenditure per insured <sup>5</sup>	9,63 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,28	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,49	
Average annual expenditure per patient	89,53 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Forfait\\_imagerie\\_medicale\\_par\\_admission\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Reference pharmacist function

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Other specialities</i>	-
Main prescribers:	<i>Other specialities</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>1.443.058</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>1.443.058</b>	
Standardised usage rate (per 100 000 insured persons)	<b>12.526</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,07	
Percentage of women (patients)	56,16%	
Ratio Preferential rate/General rate (patients)	1,33	
<b>TRENDS</b>		
Trend <sup>2</sup> (2018-2023)	14,66%	***
Trend <sup>3</sup> (2018-2021)	16,34%	*
Trend <sup>3</sup> (2021-2023)	12,18%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2018-2020)	26,63	
Coefficient of variation <sup>4</sup> (2021-2023)	21,16	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,57	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	2,22	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	51.445.247 €	
Average annual expenditure per insured <sup>5</sup>	4,47 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,57	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	2,22	
Average annual expenditure per patient	35,65 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Fonction Pharmacien de référence 2023.pdf](#)

## Medical practice variations – SUMMARY

Palliative care at home

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Nurses	<b>98,65%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>3.782.557</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	122,68	
Total average occurrence	122,73	
Estimated number of patients (per year)	31.002	
Standardised usage rate (per 100 000 insured persons)	269	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	80 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,04	
Percentage of women (patients)	50,60%	
Ratio Preferential rate/General rate (patients)	2,28	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	6,74%	***
Trend <sup>3</sup> (2013-2021)	7,55%	NS
Trend <sup>3</sup> (2021-2023)	3,55%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	29,42	NS
Coefficient of variation <sup>4</sup> (2021-2023)	26,69	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,75	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	4,21	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	264.599.862 €	
Average annual expenditure per insured <sup>5</sup>	22,97 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,76	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	6,1	
Average annual expenditure per patient	8535 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Soins\\_palliatifs\\_a\\_domicile\\_2023.pdf](#)

## Medical practice variations – SUMMARY

PET-Scan

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Nuclear medicine</i>	<b>99,98%</b>
Main prescribers:	<i>Medical oncology</i>	<b>20,04%</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>126.961</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,26	
Total average occurrence	1,26	
Estimated number of patients (per year)	<b>101.033</b>	
Standardised usage rate (per 100 000 insured persons)	<b>877</b>	
Percentage of outpatient care	<b>88,14%</b>	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	<b>100,00%</b>	
Median age of patients	68 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1,05</b>	
Percentage of women (patients)	<b>47,18%</b>	
Ratio Preferential rate/General rate (patients)	<b>1,43</b>	
<b>TRENDS</b>		
	<b>Trend<sup>2</sup> (2016-2023)</b>	<b>9,11%</b>
	<b>Trend<sup>3</sup> (2016-2021)</b>	<b>11,27%</b>
	<b>Trend<sup>3</sup> (2021-2023)</b>	<b>3,91%</b>
<b>GEOGRAPHICAL VARIATIONS</b>		
	<b>Coefficient of variation<sup>4</sup> (2016-2018)</b>	<b>28,94</b>
	<b>Coefficient of variation<sup>4</sup> (2021-2023)</b>	<b>22,82</b>
	<b>NS</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,63</b>	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,84</b>	
<b>DIRECT EXPENDITURE</b>		
	<b>Annual expenditure</b>	<b>41.773.828 €</b>
	<b>Average annual expenditure per insured<sup>5</sup></b>	<b>3,63 €</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by region)</b>	<b>1,74</b>
	<b>Max/Min Ratio<sup>1</sup> of expenditure per insured (by district*)</b>	<b>2,23</b>
	<b>Average annual expenditure per patient</b>	<b>413,47 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
	<b>Variations in practice coding<sup>6</sup> (by province)</b>	<b>Yes</b>
	<b>Variations in the choice of practice alternatives<sup>6</sup> (by province)</b>	<b>Yes</b>
		<b>***</b>
		<b>***</b>

Link to the report: [RAPPORT-EN-PET-Scan\\_radioisotopes\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Pediatric intravenous infusion

	TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>	
Main healthcare providers:	Paediatrics <b>92,70%</b>
Main prescribers:	<i>Not applicable</i> -
<b>USAGE RATE</b>	
	<b>Number of services per year</b> <b>280.378</b>
Average occurrence per patient per day (services)	<b>1,30</b>
Average occurrence per patient per year (days)	<b>3,04</b>
Total average occurrence	<b>3,97</b>
Estimated number of patients (per year)	<b>71.103</b>
Standardised usage rate (per 100 000 insured persons)	<b>3.819</b>
Percentage of outpatient care	<b>10,97%</b>
<b>POPULATION</b>	
% of the selected population compared to the total number of insured people	<b>16,16%</b>
Median age of patients	<b>1</b> years
Max/min ratio <sup>1</sup> of the median age (by district*)	<b>1</b>
Percentage of women (patients)	<b>45,89%</b>
Ratio Preferential rate/General rate (patients)	<b>1,03</b>
<b>TRENDS</b>	
Trend <sup>2</sup> (2013-2023)	<b>0,65%</b> NS
Trend <sup>3</sup> (2013-2021)	<b>-1,88%</b> ***
Trend <sup>3</sup> (2021-2023)	<b>11,42%</b>
<b>GEOGRAPHICAL VARIATIONS</b>	
Coefficient of variation <sup>4</sup> (2013-2015)	<b>29,46</b> NS
Coefficient of variation <sup>4</sup> (2021-2023)	<b>25,45</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	<b>1,31</b>
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	<b>2,38</b>
<b>DIRECT EXPENDITURE</b>	
Annual expenditure	<b>7.794.292 €</b>
Average annual expenditure per insured <sup>5</sup>	<b>4,19 €</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	<b>1,74</b>
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	<b>2,81</b>
Average annual expenditure per patient	<b>109,62 €</b>
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>	
Variations in practice coding <sup>6</sup> (by province)	<b>NA</b> NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	<b>NA</b> NA

Link to the report: [RAPPORT-EN-Perfusion\\_intraveineuse\\_pediatrique\\_0-14\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Insertion of a port-a-cath

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>General surgery</i>	<b>93,22%</b>
Main prescribers:		-  
<b>USAGE RATE</b>		
	Number of services per year	<b>13.084</b>
	Average occurrence per patient per day (services)	1,00
	Average occurrence per patient per year (days)	1,02
	Total average occurrence	1,02
	Estimated number of patients (per year)	<b>12.837</b>
	Standardised usage rate (per 100 000 insured persons)	111
	Percentage of outpatient care	71,90%
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people		<b>100,00%</b>
Median age of patients		66 years
Max/min ratio <sup>1</sup> of the median age (by district*)		1,08
Percentage of women (patients)		57,25%
Ratio Preferential rate/General rate (patients)		1,18
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,66%	***
Trend <sup>3</sup> (2013-2021)	-1,53%	NS
Trend <sup>3</sup> (2021-2023)	-2,19%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	30,61	NS
Coefficient of variation <sup>4</sup> (2021-2023)	36,45	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	2,61	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	11,32	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	1.553.703 €	
Average annual expenditure per insured <sup>5</sup>	0,13 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	2,63	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	11,03	
Average annual expenditure per patient	121,03 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	NA	NA
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Port-a-cath\\_2023.pdf](#)

## Medical practice variations – SUMMARY

### Radiotherapy

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Radiotherapy</i>	<b>99,41%</b>
Main prescribers:	<i>Not applicable</i>	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>43.235</b>
Average occurrence per patient per day (services)	1,06	
Average occurrence per patient per year (days)	1,14	
Total average occurrence	1,21	
Estimated number of patients (per year)	35.845	
Standardised usage rate (per 100 000 insured persons)	311	
Percentage of outpatient care	89,72%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	69 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,06	
Percentage of women (patients)	51,76%	
Ratio Preferential rate/General rate (patients)	1,25	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,71%	***
Trend <sup>3</sup> (2013-2021)	0,61%	NS
Trend <sup>3</sup> (2021-2023)	1,13%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	9,64	NS
Coefficient of variation <sup>4</sup> (2021-2023)	10,34	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,14	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,5	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	165.485.791 €	
Average annual expenditure per insured <sup>5</sup>	14,36 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,16	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,6	
Average annual expenditure per patient	4616,73 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Radiotherapie\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Lump sum fees for clinical biology - Outpatient

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	<i>Pharmacist biologists</i>	<b>55,30%</b>
Main prescribers:		<b>General practitioners</b>
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>17.498.303</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	2,59	
Total average occurrence	2,59	
Estimated number of patients (per year)	<b>6.767.601</b>	
Standardised usage rate (per 100 000 insured persons)	<b>58.744</b>	
Percentage of outpatient care	100,00%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	100,00%	
Median age of patients	53 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1,1	
Percentage of women (patients)	56,38%	
Ratio Preferential rate/General rate (patients)	1,01	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	0,60%	***
Trend <sup>3</sup> (2013-2021)	-0,02%	***
Trend <sup>3</sup> (2021-2023)	3,08%	
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	3,58	NS
Coefficient of variation <sup>4</sup> (2021-2023)	4,57	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,06	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,18	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	456.523.780 €	
Average annual expenditure per insured <sup>5</sup>	39,63 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,07	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,24	
Average annual expenditure per patient	67,46 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	NA	NA

Link to the report: [RAPPORT-EN-Honoraires\\_forfaitaires\\_biolgie\\_clinique\\_AMBU\\_2023.pdf](#)

## Medical practice variations – SUMMARY

Childbirth (Women)

		TOTAL
<b>PROVIDERS &amp; PRESCRIBERS</b>		
Main healthcare providers:	Gynaecology and midwifery	<b>98,49%</b>
Main prescribers:	Not applicable	-
<b>USAGE RATE</b>		
	<b>Number of services per year</b>	<b>104.244</b>
Average occurrence per patient per day (services)	1,00	
Average occurrence per patient per year (days)	1,00	
Total average occurrence	1,00	
Estimated number of patients (per year)	<b>104.074</b>	
Standardised usage rate (per 100 000 insured persons)	1.776	
Percentage of outpatient care	1,65%	
<b>POPULATION</b>		
% of the selected population compared to the total number of insured people	50,87%	
Median age of patients	31 years	
Max/min ratio <sup>1</sup> of the median age (by district*)	1	
Percentage of women (patients)	100,00%	
Ratio Preferential rate/General rate (patients)	0,95	
<b>TRENDS</b>		
Trend <sup>2</sup> (2013-2023)	-1,68%	***
Trend <sup>3</sup> (2013-2021)	-1,18%	NS
Trend <sup>3</sup> (2021-2023)	-3,62%	NS
<b>GEOGRAPHICAL VARIATIONS</b>		
Coefficient of variation <sup>4</sup> (2013-2015)	5,64	NS
Coefficient of variation <sup>4</sup> (2021-2023)	6,39	NS
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by region)	1,04	
Max/min Ratio <sup>1</sup> of usage rate (per 100 000 insured persons, by district*)	1,23	
<b>DIRECT EXPENDITURE</b>		
Annual expenditure	45.014.869 €	
Average annual expenditure per insured <sup>5</sup>	7,68 €	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by region)	1,04	
Max/Min Ratio <sup>1</sup> of expenditure per insured (by district*)	1,23	
Average annual expenditure per patient	432,53 €	
<b>CODING VARIATIONS &amp; PRACTICE ALTERNATIVES</b>		
Variations in practice coding <sup>6</sup> (by province)	Yes	***
Variations in the choice of practice alternatives <sup>6</sup> (by province)	Yes	***

Link to the report: [RAPPORT-EN-Accouchement\\_Femmes\\_2023.pdf](#)

### 16. FOOTNOTES

---

- 1 An 'NA' result indicates a ratio, which cannot be calculated, i.e. the minimum value equals zero.
- 2 The test indicates whether the observed slope is statistically significantly different from 0%.
- 3 The test indicates whether the break in trend between the two periods is statistically significant.
- 4 The test compares the coefficients of variation for the two periods and indicates whether the difference is statistically significant.
- 5 Expenditure is based on the insured people selected.
- 6 The test indicates whether the practice variation between provinces is statistically significant.